## State of New Mexico Minerals and Natural Resources Department

C-165 **Revised 1-1-39** 

P.O. Box 1980, Hobbs. NM &1240

OIL CONSERVATION DIVISION P.O

\ D 1000	
). Box 2088	30-025-07
Mexico 87504-2088	30-023-07

785

WELL API NO

DISTRICT II Santa Fe, New Mexico 87504-2088 P.O. Denver DD, Artesia, NM 88210		<u> </u>			
		5. Indicate Type of Lease \$7	TATE PEE X		
DISTRICT III 1000 Rio Brazos Rd., Aziec, NM 87410			6. State Oil & Gee Lesse No.		
SUNDRY NOTICES AND REPORTS ON WELLS  (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  (FORM C-101) FOR SUCH PROPOSALS.)					
			7. Lease Name or Unit Ag	prement Name	
1. Type of Well: Oil. Will. X	MET [	oner	CI	Fred Turner Jr	. A
2. Name of Operator Amerada Hess Cor	ooration			8. Well No. 2	
3. Address of Operator Drawer D, Monume	nt, New Mexico	88265		9. Pool mass or Wildest Skaggs Graybur	g & Eument
4. Well Location  Unit Letter K	: 1980 Feet Pro	South	Lien and19	87 Feet Prom The	West Line
Section 18	Towas			NMPM	Lea <b>County</b>
		O. Elevation (Show whether 3!	662' DF		
				eport, or Other Data	
NOTICE	OF INTENTION	1 TO:	SUB	SEQUENT REPO	RT OF:
PERFORM REMEDIAL WORK	r D PLUG	AND ABANDON	REMEDIAL WORK	ALTER	ING CASING
TEMPORARILY ABANDON	CHAN	GE PLANS	COMMENCE DRILLING	GOPNS. DPLUG	AND ABANDONMENT 🗵
PULL OR ALTER CASING			CASING TEST AND CE	EMENT JOB	

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

11/15 Thru 11/25/91

OTHER:

MIRU Pool Well Service, installed BOP & TIH w/7" pkr. set at 2574'. Est. ing. rate w/6 bbls. 10# brine at 1500# @ 3/4 BPM. ISIP 1250#. Held1250# for 30 min. Unseated pkr. & pumped 500 bbls. 15% HCL acid. Set pkr. & attempted to press. test tbg. Tbg. on vacuum. TOH w/pkr. Swabbed well. Tried to pump into Eumont perfs. fr. 3145' - 3494' w/1000# press. w/no results. TIH w/7" EZ drill retainer & set at 2637'. Tested tbg. to 3000#. Est. inj. rate w/17 bbls fresh water 2-1/2 BPM, 2100#. Squeezed Eumont Zone perfs. w/200 sks. class "C" neat cement. Displaced cement w/13 bbls. fresh water. Stung out of retainer & left 2 bbls. cement slurry on top of retainer. TIH w/7" Arrow pkr. & located csg. leak fr. 1830'-1537'. Set pkr. at 345' & pumped 200 sks. class "C" neat cement. Displaced cement to 400'. WOC. Tested fr. 345'-400' to 1000#. Held ok. Pump in 9-5/8" & 7" annulus at 1 BPM 400#. Pumped 100 sks. class "C" neat cement down to annulus. Released pkr. & TOH. Spotted 60 sks. class "C" neat cement at 60' to surface. Removed BOP, dug out cellar, cut off well head & install dry hole marker. RDPU & cleaned location. Cut off dead man markers. Well P & A'd.

OTHER:

eto the best of my knowledge and belief. I hereby certify that the information at Supv. Adm. Svc. 12/13/91 SIGNATURE TELEPHONE NO. 393-2144 R. L. Wheeler, Jr. TYPE OR PRINT NAME (This space for State Use)

MAR 03'92

DATE

CONDITIONS OF AFFROVAL, IF ANY: