

**DISTRICT I**

P.O. Box 1980, Hobbs NM 88241-1980

**DISTRICT II**

P.O. Drawer DD, Artesia, NM 88210

**DISTRICT III**

1000 Rio Brazos Rd., Aztec, NM 87410

**OIL CONSERVATION DIVISION**

P.O. Box 2088

Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-07793

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

**SUNDRY NOTICES AND REPORTS ON WELLS**  
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A  
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"  
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL  
WELL ☐

GAS  
WELL ☐

OTHER TA'd

2. Name of Operator

Amerada Hess Corporation

3. Address of Operator

P. O. Drawer D, Monument, NM 88265

7. Lease Name or Unit Agreement Name

WARREN MCKEE UNIT

8. Well No.

117

9. Pool name or Wildcat

WARREN MCKEE

4. Well Location

Unit Letter H : 1980 Feet From The NORTH Line and 660 Feet From The EAST Line

Section 18 Township 20S Range 38E NMPM LEA County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3572' DF

11.

**Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data**

**NOTICE OF INTENTION TO:**

PERFORM REMEDIAL WORK

☒

PLUG AND ABANDON

☐

TEMPORARILY ABANDON

☐

CHANGE PLANS

☐

PULL OR ALTER CASING

☐

OTHER:

☐

**SUBSEQUENT REPORT OF:**

REMEDIAL WORK

☐

ALTERING CASING

☐

COMMENCE DRILLING OPNS.

☐

PLUG AND ABANDONMENT

☐

CASING TEST AND CEMENT JOB

☐

OTHER:

☐

12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Plan to press. test csg. to 500 PSI. MIRU pulling unit, remove wellhead & install BOP. TIH w/4-3/4" bit, drill out CIBP at 8878' & run bit to 9312'. Circ. hole clean & TOH. TIH w/tbg., remove BOP & install wellhead. TIH pump & rods. RDPU & clear location. Install pumping unit & pump test well. If sand non-commercial, TIH w/CIBP set at 9062'. Perforate McKee Zone fr. 9032' - 9036' & fr. 9044' - 9056' w/2 SPF. TIH w/pkr. & swab test perfs. Breakdown perfs. w/500 gal. 7-1/2% HCL acid. TIH w/2-7/8" tbg. Remove BOP & install wellhead. TIH w/pump & rods & resume pump testing well. If non-commercial, set CIBP above top perfs., press. test csg. obtaining chart & return to TA'd status.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE

*R. L. Wheeler, Jr.*

TITLE Admin. Svc. Coord.

DATE 3-11-96

TYPE OR PRINT NAME R. L. Wheeler, Jr.

TELEPHONE NO. 505 393-2144

(This space for State Use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

MAR 14 1996