

**DUPLICATE**  
Form 9-331a  
(Feb. 1951)

Budget Bureau 42-R358.2  
Approval expires 12-31-62.

(SUBMIT IN TRIPLICATE)  
**UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY**

Land Office Las Cruces  
Lease No. 031670 (a)  
Unit N.M.F.U.

**RECEIVED**  
SEP 14 1951  
OIL CONSERVATION COMMISSION  
HOBBES OFFICE

**SUNDRY NOTICES AND REPORTS ON WELLS**

NOTICE OF INTENTION TO DRILL.....	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....		SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....		SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....		SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....		SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

SEHU-Durger A-19 No. 11 Hobbs, New Mexico September 13, 1951

Well No. 11 is located 1980 ft. from XXX line and 1980 ft. from E line of sec. 19  
SE 1/4 Section 19 20-S 38-E N.M.P.M.  
 (1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)  
Staggs Lee New Mexico  
 (Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is \_\_\_\_\_ ft.

**DETAILS OF WORK**

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is our intention to drill a well at the above location to a depth of approximately 3700' with rotary tools and from 3700' to a total depth of approximately 3910' with reverse circulation tools. All casing points will be cemented in accordance with approved methods of the U.S. Geological Survey and any other special requirements will be complied with. It is proposed to test natural and shoot the pay if necessary.

It is proposed to use the following casing patterns: 9 5/8" casing to be set at approximately 250' and cement with 250 sacks, cement to be circulated; 7" casing to be set at approximately 3700' with 1570 sacks cement, or sufficient cement to protect the salt section.

Approval to produce this well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box CC, Hobbs, New Mexico

By [Signature]

Title District Superintendent

