

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

Form C-101
Revised (12/1/55)

NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or recompletion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies Attach Form C-128 in triplicate to first 3 copies of form C-101

Hobbs, New Mexico

April 23, 1959

(Place)

(Date)

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the Drilling of a well to be known as
R. Q. Silverthorne

(Company or Operator)

B. M. Marcus

1

, Well No.

, in

C

The well is

(Lease)

(Unit)

located **1980** feet from the **West** line and **660** feet from the

North

line of Section **20**

, T **20S**

, R. **38E**

, NMPM.

(GIVE LOCATION FROM SECTION LINE) **Skaggs** Pool, **Lea** County

If State Land the Oil and Gas Lease is No. **XX**

If patented land the owner is **B. M. Marcus**

Address **Olean, New York**

We propose to drill well with drilling equipment as follows:

The status of plugging bond is

Drilling Contractor **Pool Well Service**

We intend to complete this well in the **Queen-Grayburg**

formation at an approximate depth of **4070** feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

Size of Hole	Size of Casing	Weight per Foot	New or Second Hand	Depth	Sacks Cement
12 1/4	9 5/8	32		4068	1500

If changes in the above plans become advisable we will notify you immediately. ~~FORMERLY~~ **Schilo B. M. Marcus**

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

Clean out inside 9-5/8" casing to 4070 feet; Run 700 feet of 9-5/8" casing w/die nipple and tie into old casing; Set bridge plug in 9-5/8" casing at 4060'; Place a cement plug on top of bridge plug to 4040'. Test bridge plug to 1500 pounds.

Approved _____, 19____
Except as follows:

Sincerely yours,

R. Q. Silverthorne

(Company or Operator)

By **W. J. [Signature]**

Position **Geo. Eng.**

Send Communications regarding well to

Name **R. Q. Silverthorne**

Address **Box 2031, Plainview, Texas**

OIL CONSERVATION COMMISSION

By **[Signature]**