


Form 9-381a
(Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

Land Office Las Cruces
Lease No. LC 031695 (b)
Unit N. M. F. U.

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	<input checked="" type="checkbox"/>	SUBSEQUENT REPORT OF WATER SHUT-OFF	
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL			

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

Warren Unit B T No. 26

Hobbs, New Mexico April 25, 1958

Well No. 26 is located 660 ft. from NXX line and 660 ft. from EXX line of sec. 27

SW/4, Section 27
(1/4 Sec. and Sec. No.)

20S
(Twp.)

38E
(Range)

13PM
(Meridian)

Blinbry-Tubb
(Field)

Lea

(County or Subdivision)

New Mexico
(State or Territory)

The elevation of the derrick floor above sea level is _____ ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

It is our intention to drill a well at the above location to a total depth of (Blinbry approximately 6770' with rotary tools in order to continue to development of the Tubb) - ~~Blinbry~~ oil and gas reserves and meet demands of the U.S.G.S. for further development of federal leases comprising the New Mexico Federal Unit. All casing points will be cemented in accordance with approved methods of the U.S.G.S. and any other special requirements of the regulatory bodies will be met and complied with.

It is planned to use the following casing pattern: 13-3/8" to be set at 250' and cemented with approximately 300 sacks, cement to be circulated. 9-5/8" casing to be set at 4100' and cemented with 2000 sacks, cement to return to 1300'. 7" casing to be set 6700' and cemented with 750 sacks and perforated opposite pay zones.

Approval to dual complete and produce this well upon completion is also requested.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Continental Oil Company

Address Box 427,
Hobbs, New Mexico

[Signature]
Title District Supt.

NEW MEXICO OIL CONSERVATION COMMISSION
Well Location and Acreage Dedication Plat

Section A.

Date 4-23-58

Operator Continental Oil Co. Lease Warren Unit T. B.
Well No. 26 Unit Letter M Section 27 Township 20 S Range 38 E. NMPM
Located 660 Feet From South Line, 660 Feet From West Line
County Lea C. L. Elevation Ministry-Tab Dedicated Acreage Warren Ministry-Tab Acres
Name of Producing Formation Ministry-Tab Pool Warren Ministry-Tab

1. Is the Operator the only owner* in the dedicated acreage outlined on the plat below?
Yes X No .
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? Yes No . If answer is "yes," Type of Consolidation
3. If the answer to question two is "no," list all the owners and their respective interests below:

Owner


Land Description

RECEIVED

APR 28 1958

U. S. GEOLOGICAL SURVEY
HUBBS, NEW MEXICO

Section B



This is to certify that the information in Section A above is true and complete to the best of my knowledge and belief.

Continental Oil Company

(Operator)

John W. West
(Representative)

Box 427, Hobbs, New Mexico

Address

This is to certify that the well location shown on the plat in Section B was plotted from field notes of actual surveys made by me or under my supervision and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed 4-23-58

John W. West
Registered Professional
Engineer and/or Land Surveyor.

Certificate No. 676

(See instructions for completing this form on the reverse side)