Form 9-331 a (Feb. 1951)

E. W. STANDLEY

(SUBMIT IN TRIPLICATEHOE UNITED STATES AM 9:57

DISTRICT ENGINEER DEPARTMENT OF THE INTERIOR **GEOLOGICAL SURVEY** 

APR 1 3 1962

## SUNDRY NOTICES AND REPORTS ON WELLS FOR THE ALL HOSES, REF. HERE AND

NOTICE OF INTENTION TO DRILL	X	SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL  NOTICE OF INTENTION TO SHOOT OR ACIDIZE.		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING	1	SUPPLEMENTARY WELL HISTORY

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

			ALIT IX	19. <b>**</b>	
Federal Red Tank Unit Well No. 1-22 is located 1980 ft. f	from $N$ line and .	660 ft. from   lin	ne of sec. 22		
sultant Sec. 22	228	328	M.M.P.M.		
(½ Sec. and Sec. No.) Vildest	(Twp.)	(Range)	(Meridian)	co	
(Field)	(Co	unty or Subdivision)	(State or Terr	itory)	

The elevation of the derrick floor above sea level is 3686 ft.

## DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work) We plan to drill a 7500' Delaware Sand test with retary.

We will run 650' of 8 5/8" surface casing, probably using 600 eacks to circulate coment.

We plan to run 5 1/2 production casing and cament through any potential pay somes with 200 macks.

All casing will be run and comented under methods approved by the U. S. G. S.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced. Company .... Address .... Roswell, New Mexico  $B_{y}$ Title