Form 9- (Feb. 19	<b>331 a</b> 51)	

DEC 13 1962 (SUBMIT IN TRIPLICATE) MOBBS

Land Office New Mexico Lease No. 184 03630 Unit \_\_\_\_\_

E. W. STANDLEY UNITED STATES
DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

10 % DEO &	•	
SUNDRY NOTICE	s and	REPORTS ON WELLS
		WATER SHIFT-OFF
OTICE OF INTENTION TO DRILL		AE SHOOTING OR ACIDIZING
TO CHANGE PLANS	( ()	API AF AI TERING CASING
TO TEST WATER SHUT-		AF DE DOUI ING UK KU AMARA
TO BE DRILL UK KEI OM MELL		OF ARANDONMEN!
TO CHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ADMISSION
TO DILL OR ALIER CASH		
AN INTENTION TO ABANDON WELL	1 11	
The state of the s	CK MARK NATU	TRE OF REPORT, NOTICE, OR OTHER DATA)
(INDICATE ABOVE BY CALL		December 10 , 1962
Vell No. 2 is located 660  SE/4 SW/6 (W Sec. and Sec. No.) (Twp.)	ft. from	line and 1980 ft. from W line of sec. 14
(1/2 Sec. and Sec. No.)	# <b>#</b>	Mew Mexico (State or Territory)
wildcat	(County or Su	bdivision)
(Field)		6.
	e sea ievei	18 3143 10.
The elevation of the derrick hoof above	DETAILS	S OF WORK
The elevation of the derrick floor abov	DETAILS ds; show sizes, its, and all other	weights, and lengths of proposed casings; indicate mudding jobs, cement— er important proposed work)
(State names of and expected depths to objective san ing point of the propose to plug and abandon Mr. E. W. Standley and R. Bolif Total depth to 4750' 1280' to 1200' 1030' to 950' 330' to 290'  A 10 sack neat cement plug at plugs. 8 5/8" 32# J-55 casis	de; show sizes, te, and all other this we lag 12-10 75 sacks 20 sacks 20 sacks 20 sacks wrface will be	weights, and lengths of proposed casings; indicate mudding jobs, cement- il as per telephone conversation between -62 as follows: neat cement. neat cement. neat cement neat cement the neat cement lenest cement lenest cement lenest cement lenest cement let in hole set at 312', cemented to suri
(State names of and expected depths to objective san ing point of the propose to plug and abandon of the propose to plug and abandon of the propose to plug and R. Boling and to 4750' 1280' to 1200' 1030' to 950' 330' to 290'  A 10 sack neat cement plug at plugs. 8 5/8" 32% J-55 casis the location will be cleaned	de; show sizes, tes, and all other this we lag 12-10 75 sacks 20 sacks 20 sacks 20 sacks surface will be and leve	weights, and lengths of proposed casings; indicate mudding jobs, cement- ir important proposed work)  It as per telephone conversation between  -62 as follows:  neat cement.  neat cement.  neat cement.  with marker. Heavy mud will be used between  left in hole set at 312', cemented to suri  led when the pits are dry.  writing by the Geological Survey before operations may be commenced.
(State names of and expected depths to objective san ing point of the propose to plug and abandon of the propose to plug at 1280 to 1200 to 1	de; show sizes, the, and all other this we las 12-10 75 sacks 20 sacks 20 sacks 20 sacks surface g will be and levelive approval in Company.	weights, and lengths of proposed casings; indicate mudding jobs, cementer important proposed work)  Il as per telephone conversation between  -62 as follows:  neat cement.  neat cement.  neat cement.  with marker. Heavy mud will be used between  left in hole set at 312', cemented to surf  led when the pits are dry.  writing by the Geological Survey before operations may be commenced.  Inc.
(State names of and expected depths to objective san ing point of the propose to plug and abandon of the propose to plug and abandon of the propose to plug and abandon of the propose to plug and R. Bolis of the plug and R. Bolis of the plug at plug and the plug at plug	des show sizes, the and all other this we lag 12-10 75 sacks 20 sacks 20 sacks 20 sacks surface will be and levelive approval in Company, ding	weights, and lengths of proposed casings; indicate mudding jobs, cementer important proposed work)  It as per telephone conversation between 1-62 as follows:  I neat cement.  I neat cement.
(State names of and expected depths to objective san ing point of the propose to plug and abandon of the propose to plug at 1280 to 1200 to 1	des show sizes, the and all other this we lag 12-10 75 sacks 20 sacks 20 sacks 20 sacks surface will be and levelive approval in Company, ding	weights, and lengths of proposed casings; indicate mudding jobs, cementer important proposed work)  It as per telephone conversation between 1-62 as follows:  I neat cement.  I neat cement.