7
-
-
_

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico 8 1 M (1977)

WELL RECORDANCE CONTRACTOR

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

		ACRES
LOCATE	WELL	CORRECTLY

Carper Drilling	Company, Inc.			Carpo	r Rendel	* A *	
Well No	in SE 1/4 of SW		2		(Lease)	35 E	, NMPM.
Undesignated		Pool	Lea				County.
Well is 1650	feet from West	lin	e and	330	feet from	South	line
of Section 2	If State Land the	Oil and Gas Le	ase No. is	E-26	5-3		
Drilling Commenced	10-24	₁₉ 58	Drilling was Con	mpleted	-31		, 19. 58
Name of Drilling Contracto	rCarper.	Drilling Co	ompany, Inc.				
Address	Artesic	a, New Me	xico	******			
Elevation above sea level at		3602		The informat	ion given is t	to be kept con	nfidential until
		OIL SANDS	S OR ZONES				
No. 1, from							
No. 2, from	to	7	No. 5, from		to		••••••
No. 3, from	to	5	No. 6, from		to)	
		MPORTANT V	VATER SANDS				
Include data on rate of wat	er inflow and elevation to v	which water ros	e in hole.				

1.

No. 1, from	to	feet.	
No. 2, from	to	feet.	
No. 3, from	to	feet.	
No. 4, from	to		

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PEBFORATIONS	PURPOSE
5/8	24	Den	259.51	fleat			
5/8	14		4012				
		<u> </u>					· · · - · · · · · · · · · · · · · · · ·

-

CASING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE BET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
10	8 5/8	274	200 50-50 p	osmix 2% calcium	chloride-Halliburton	
7 7/8	51/2	4010	250 4% gel.	50 reg. negt, 45	gals, latex-Malliburt	on

BECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Sand fraced w/					
Result of Production Stime					
	 ,	· · · · · · · · · · · · · · · · · · ·	Х °	Depth Cleaned Out.	4005'

7

SCORD OF DRILL-STEM AND SPECIAL T7 'S

If drill-stem or other special tests or deviation surveys were made, submit report on separate she t and attach herete

	TOO	LS USED		
Rotary tools w	vere used from 0 feet to 4011	feet, and from		feet.
Cable tools we	ere used fromfeet to	feet, and from		feet.
	PROI	DUCTION		
Put to Produc	ing. November 8 , 19.58			
OIL WELL:	The production during the first thours was	75	iquia of which100	
	was oil;% was emulsion;	% water; and		diment. A.P.I.
	Gravity	. ,		
GAS WELL:	The production during the first 24 hours was	M.C.F. plus		barrels of
	liquid Hydrocarbon. Shut in Pressure	bs.		
Length of Tir	me Shut in			

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

	Southeastern Ne		Northwestern New Mexico		
T.	Anhy	Т.	Devonian	Т.	Ojo Alamo
T.	Salt	T.	Silurian	Τ.	Kirtlaad-Fruitland
	Salt			T.	Farmi gton
Т.	Yates	T.	Simpson		
Т.	7 Rivers	Т.	McKee	Т.	Menetee
Т.	Queen	Т.	Ellenburger	Т.	Point Lookout
Т.	Grayburg	Т.	Gr. Wash	Τ.	Mances
	San Andres				
Т.	Glorieta	Т.		Т.	Morri on
Т.	Drinkard	Т.		Т.	Penn.
Т.	Tubbs	Т.		Т.	·····
Т.	Abo	Т.		Т.	·····
Т.	Penn	Т.		T.	
Т.	Miss	Т.	·	Т.	•••••••••••••••••••••••••••••••••••••••

FORMATION RECORD

From	То	Thickness in Feet	Formation	From	То	Thickness in Feet	Formation
0 1870 2008 3616 3827	1870 2008 3616 3827 4011	1870 138 1608 211 184	Red beds & sand Anhyd. Salt Anhyd. & delomite Sand w/anhyd. & dolo.				
Enclosed	are tu	vo copies	of Welex Radioactive Log.				
				· · · · · · · · · · · · · · · · · · ·			
			•• • • •	-			

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the v ell and all work done on it so far as can be determined from available records. March 26, 1959

Company or Operator	AddressArtesia, New Mexico
Name Thuskie Yearte	Position or Title