


NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

THE BRITISH AMERICAN OIL PRODUCING COMPANY, BOX 174, MIDLAND, TEXAS (Company or Operator) HALL STATE TX (Lease)

Well No. 10, in SE 1/4 of NW 1/4, of Sec. 11, T. 22-S, R. 35-E, NMPM.

UNDERSIGNATURE Pool, IEA County.

Well is 1980 feet from NORTH line and 1650 feet from WEST line

of Section 11. If State Land the Oil and Gas Lease No. is STATE NO. 2-024

Drilling Commenced 5-2-1958, 19 Drilling was Completed 5-14-1958, 19

Name of Drilling Contractor J.G. GRATH DRILLING COMPANY

Address 528 WILSON BLDG., DALLAS 1, TEXAS

Elevation above sea level at Top of Tubing Head 3610 The information given is to be kept confidential until

Not confidential, 19

OIL SANDS OR ZONES

No. 1, from 3882-4065 Yates Sand (Not penetrated) No. 4, from to

No. 2, from to No. 5, from to

No. 3, from to No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None indicated to feet

No. 2, from to feet

No. 3, from to feet

No. 4, from to feet

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8" OD	22.5	NEW	320.44	Toy Pattern			Surface Casing
5 1/2" OD	15.5	NEW	4070.24	Baker		SEE BELOW	Oil String

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/4"	8 5/8"	335.40	200	B-J Service		
7 7/8"	5 1/2"	4064.	350	B-J Service		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

5 1/2" OD Casing Perforations: 3882-3905, 3928-3940, 3945-3956 and 3992-4020 w/4 jets/ft.

50,000 lbs sand and 50,000 gallons oil used.

Result of Production Stimulation 221.02 B.O. and no water, 24 hours, N.F. thru 5 1/2" OD Casing, thru 12/64" choke, Cp 125.

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 4065 feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing 5-21-1958, 19 After Frac oil of 50,000 gallons returned.
OIL WELL: The production during the first 24 hours was 221.02 barrels of liquid of which 100% was
was oil; 0% was emulsion; 0% water; and 0% was sediment. A.P.I.
Gravity 35.0
GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.
Length of Time Shut in

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	T. Devonian	T. Ojo Alamo	
T. Salt.	T. Silurian	T. Kirtland-Fruitland	
B. Salt.	T. Montoya	T. Farmington	
T. Yates. 3882-4065 (Not penetrated)	T. Simpson	T. Pictured Cliffs	
T. 7 Rivers	T. McKee	T. Menefee	
T. Queen	T. Ellenburger	T. Point Lookout	
T. Grayburg	T. Gr. Wash.	T. Mancos	
T. San Andres	T. Granite	T. Dakota	
T. Glorieta	T.	T. Morrison	
T. Drinkard	T.	T. Penn.	
T. Tubbs	T.	T.	
T. Abo	T.	T.	
T. Penn.	T.	T.	
T. Miss.	T.	T.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	316	316	Surface rock and red bed				
316	1672	1356	Red bed				
1672	1854	182	Red bed and sand				
1854	1902	48	Red bed				
1902	2035	133	Anhydrite				
2035	2910	875	Salt and anhydrite				
2910	3210	300	Salt, anhydrite and gyp				
3210	3317	107	Anhydrite and salt				
3317	3459	142	Anhydrite, gyp and salt				
3459	3523	64	Anhydrite and gyp				
3523	3658	135	Anhydrite and salt				
3658	3711	53	Anhydrite and gyp				
3711	3821	110	Anhydrite and lime				
3821	3882	61	Lime				
3882	4065	183	Yates sand.				
		4065					

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator The British American Oil Prod. Co. Address Midland, Texas 5-26-1958 (Date)
Name Herman B. Zwick P.O. Box 474, Midland, Texas Dist. Clerk