

NEW MEXICO OIL CONSERVATION COMMISSION Santa Fe, New Mexico

WELL RECORD AT 5 50

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE.

If State Land submit 6 Copies

of the Commission. Submit in QUINTUPLICATE. AREA 640 ACRES LOCATE WELL CORRECTLY State of New Mexico "BZ" NCT-1 The Texas Company (Company or Open , in SW NW 14, of Sec. 13 T..... 35-E NMPM. Jalmat Oil 1980 feet from North line and 660 feet from West line Name of Drilling Contractor. Carper Drlg Co. Address Box 905, Hobbs, New Mexico OIL SANDS OR ZONES 3830 No. 4, from......to......to......to....... Well drilled with rotary and no water sands were tested. Include data on rate of water inflow and elevation to which water rose in hole. No. 3, from..... CASING RECORD KIND OF SHOE CUT AND PULLED FROM WEIGHT PER FOOT NEW OR USED AMOUNT PERFORATIONS PURPOSE SIZE 5/8 1778 22 New Baker 8830-3875 14 **388**5 Production Baker New MUDDING AND CEMENTING RECORD AMOUNT OF MUD USED MUD GRAVITY WHERE SET NO. SACKS OF CEMENT SIZE OF HOLE SIZE OF CASING 800 5/8 1792 Howco 3899 400 Howeo RECORD OF PRODUCTION AND STIMULATION (Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Peri 3030-30/2, 4	BITO A	Der 10. Mer	arrea berre	HIJYY BRAR M	~#### W.W.W.T
Fraced w/10,000 gal	a oil	. 10.000# sd	l.		
			***************************************	***************************************	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
	۲,	•			
Result of Production Stimulation	On	24 hr potent	ial, flowed	28 BO, 22/64	" choke,
				-	
TP-975 CP-780 GOR-	-TÃ00	Grav-30.4	******************	********************************	***************************************

3900 PB 389

.....Depth Cleaned Out.....

PECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special we or deviation surveys were made, submit report on parate sheet and attach hereto

TOOLS USED

								feet to	
Cable tools	were use	d from	feet	to	feet, ar	ıd from	•••••	feet to	fee t .
				PROD	UCTION				
Put to Prod	icing	Jun	e 26	19 56					
OIL WELL	: The	production	n during the first 24 ho	urs was2	8	bar	rels of liq	uid of which	% was
								% was sed	
			,			. 70 Water	, and	// was seq	mient. A.I ,I,
	,	.,							
GAS WELL	: The	production	n during the first 24 ho	urs was	1	M.C.F. pl	us		barrels of
	liqui	d Hydroca	arbon. Shut in Pressure.	lbs	i.				
Length of	ime Shu	ıt in		·					
PLEAS	E INDI	CATE BI	ELOW FORMATION	TOPS (IN CO	VFORMAN	E WITH	I GEOGE	RAPHICAL SECTION OF	STATE):
			Southeastern New I	Mexico				Northwestern New M	exico
		•	T.	Devonian	••••		т.	Ojo Alamo	******************
			T.					Kirtland-Fruitland	
			T.	Montoya				Farmington Pictured Cliffs	
			T.	-	•	,		Menefee	•••••••••••••••••••••••••••••••••••••••
			т,		•			Point Lookout	
T. Graybu	g	····	т.	Gr. Wash		•	Т.	Mancos	***************************************
T. San An	dres	**	Т.	Granite	•		Т.	Dakota	
			T.					Morrison	
			T.					Penn	
			T.						
T. Penn			т.						
T. Miss	•••••		т.	***************************************			т.	***************************************	
			•	FORMATIO	ON RECO	RD	•		* .
From	То	Thickness in Feet	Formati	ion	From	То	Thickness in Feet	Formation	
0 341 795 1187 1667 1699	1341 1795 3187 3667 3699 3900 3895	1341 454 1392 480 32 201	Surf & red h Anhy Lime Lime & Anhy Anhy Lime Total Depth PB Depth	7	Per Aci wit sd.	r 383 d w/5 h 10,	0-387 00 ga 000 g pote	Set 5 1/2" or 5, 4 shots per 1s Dowell. Fractis oil, 10,000 atial flowed 26 GOR-1960	rt. sed #
o de la companya de l			ATTIA CVI SEDAD	ATE SHEET IF		VAT. SPA	CE:IS N	EEDED	

ATTACH SEPARATE SHEET IF	ADDITIONAL SPACE IS NEEDED
I hereby swear or affirm that the information given herewith is a as can be determined from available records.	complete and correct recorded the well and all work done on it so far
Company or Operator	Box 1270, Midland, Texas Address Asst. Bist. Supt. Position or Title