

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE	<input checked="" type="checkbox"/>	NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER) Fracture	<input checked="" type="checkbox"/>

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

February 17, 1956
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the The British American Oil Producing

Company New Mexico "B" Well No. 2 in I
(Company or Operator) (Unit)
NE $\frac{1}{4}$ SE $\frac{1}{4}$ of Sec. 14, T. 22-S, R. 35-E, NMPM., Jalmat Pool
(40-acre Subdivision)
Lea County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

1. Run Gamma Ray-Neutron log from surface to T.D. with detail 3600 to T.D.
2. Run tubing with bit and drill plug and cement to approx 3948.
3. Pull tubing and perforate 4 1/2" OD casing 3862 to 3882 with 4 3-5/8" 16 gram jet shots/ft.
4. Fracture thru perforations 3862 to 3882 with 10,000 gallons 20 deg gravity oil and 10,000 lbs sand, and follow with flush oil.
5. Perforate 3912 to 3934 with 4 3-5/8" 16 gram jet shots/ft.
6. Fracture thru perforations 3912 to 3934 with 10,000 gallons 20 deg gravity oil and 10,000 lbs sand, and follow with flush oil.
7. Swab well and complete.

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....

Title.....

The British American Oil Producing Company
Company or Operator

By..... German B. French

Position..... District Clerk

Send Communications regarding well to:

Name.....

Address.....