

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/> X	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E-8173	

<p align="center"><b>SUNDRY NOTICES AND REPORTS ON WELLS</b></p> <p align="center"><small>(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)</small></p>		
<p>1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/></p>		7. Unit Agreement Name Jalmat Field Yates Sand Unit
2. Name of Operator Gulf Oil Corporation		8. Farm or Lease Name
3. Address of Operator Box 670, Hobbs, New Mexico 88240		9. Well No. 129
4. Location of Well UNIT LETTER <u>A</u> <u>660</u> FEET FROM THE <u>North</u> LINE AND <u>330</u> FEET FROM THE <u>East</u> LINE, SECTION <u>14</u> TOWNSHIP <u>22-S</u> RANGE <u>35-E</u> NMPM.		10. Field and Pool, or Wildcat Jalmat
15. Elevation (Show whether DF, RT, GR, etc.) 3594' GL		12. County Lea

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER "Plug and abandon" <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3970' TD, 3951' PB.

Full tubing, rods and pump. Set CI BP at 3770'. Load hole with mud. Spot 10 sack cement plug on top of BP. Spot cement plug from 50' to surface. Install dry hole marker and clean location.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>C. D. Kallinger</u>	TITLE <u>Area Engineer</u>	DATE <u>January 19, 1972</u>
APPROVED BY <u>Joe D. Ramey</u>	TITLE <u>Dist. I, Supv.</u>	DATE <u>JAN 20 1972</u>
CONDITIONS OF APPROVAL, IF ANY:		

RECEIVED

JAN 11 1972

OIL CONSERVATION COMM.  
HOUSTON, TEXAS