

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION C. C.

FEB 14 3 27 PM '67

30-025-08650

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.
E 396-1

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <b>Water Supply Well</b>	7. Unit Agreement Name <b>Cone</b> <b>Jalmat Yates Pool Unit</b>
2. Name of Operator <b>J. R. CONE</b>	8. Farm or Lease Name <b>Tract 6</b>
3. Address of Operator <b>Box 871, Lubbock, Texas 79408</b>	9. Well No. <b>WSW No. 1</b>
4. Location of Well: UNIT LETTER <b>I</b> <b>1980</b> FEET FROM THE <b>South</b> LINE AND <b>660</b> FEET FROM <b>East</b> THE <b>24</b> LINE, SECTION <b>22-S</b> TOWNSHIP <b>35-E</b> RANGE <b>35-E</b> NMPM.	10. Field and Pool, or Wildcat <b>Jalmat Oil</b>
15. Elevation (Show whether DF, RT, GR, etc.) <b>3584 Gr</b>	12. County <b>Lea</b>

16.

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐  
TEMPORARILY ABANDON ☐  
PULL OR ALTER CASING ☐  
OTHER ☐

PLUG AND ABANDON ☐  
CHANGE PLANS ☐  
OTHER ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐  
COMMENCE DRILLING OPNS. ☐  
CASING TEST AND CEMENT JOB ☐  
OTHER **Conversion to Water Supply** ☒

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

This well originally drilled as Schermerhorn Amerada-State Well No. 1 and completed from Yates open hole interval 3594 to 3710'. Casing program: 8-5/8" cemented at 1721' with 1000 sacks; 5-1/2" cemented at 3594' with 250 sacks. By Schermerhorn, Top Anhydrite 1627', Top Yates 3601'.

Yates production abandoned in 1964 and 5-1/2" casing pulled. Bridge plug placed in 8-5/8" casing at 1680'. 8-5/8" casing perforated opposite Santa Rosa water sands with 2 JSPF 900-978 and 998-1040'. January 29, 1965, Santa Rosa perforations frac'd with 15,000 gallons water and 15,000 pounds 10/20 sand.

May 7-8, 1965: Ran Byron-Jackson type 32-K-70 centrifugal pump on 2-7/8" EUE tubing to 889' ground level. Placed well in service May 11, 1965 as Water Supply Well No. 2 for the Cone Jalmat Yates Pool Unit water flood.

cont.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED <u>L. O. Storm</u>	TITLE <u>Engineer</u>	DATE <u>Feb. 14, 1967</u>
APPROVED BY <u>[Signature]</u>	TITLE _____	DATE _____
CONDITIONS OF APPROVAL, IF ANY:		