



NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

Morris R. Antweil

(Company or Operator)

State "B"

(Lease)

Well No. 2, in S/E 1/4 of NE 1/4, of Sec. 36, T. 22-S, R. 35-E, NMPM.

Jalmat

Pool,

Lea

County.

Well is 1650 feet from North line and 660 feet from East line

of Section 36. If State Land the Oil and Gas Lease No. is E-2997

Drilling Commenced 10-7, 19 56 Drilling was Completed 10-15, 19 56

Name of Drilling Contractor Jennings Drilling Company

Address P. O. Box 877, Hobbs, New Mexico

Elevation above sea level at Top of Tubing Head 3540 C. L. The information given is to be kept confidential until

, 19

OIL SANDS OR ZONES

No. 1, from 3691' to 3716' No. 4, from to

No. 2, from 3746' to 3752' No. 5, from to

No. 3, from 3800' to 3808' No. 6, from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from None to feet.

No. 2, from to feet.

No. 3, from to feet.

No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
8 5/8	32#	Used	320'	TP Guide		3695'-3718'	Attempt
5 1/2	15-15 1/2#	Used	3856'	Howco Float		3746'-3756'	Completion
						3800'-3810'	

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12 1/2	8 5/8	320'	150	Pump and Plug	9.6	60 sx. gel.
7 7/8	5 1/2	3856'	225	" "	10.4	82 sx. mud and 32 starch

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Above zones treated with 24,500# sand and 1221 barrels oil.

Result of Production Stimulation Did not recover all of load back

Depth Cleaned Out

RECORD OF DRILL-STEM AND SPECIAL TEST

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 3856' feet, and from feet to feet.
Cable tools were used from feet to feet, and from feet to feet.

PRODUCTION

Put to Producing, 19 - Still testing 4-17-57

OIL WELL: The production during the first 24 hours was barrels of liquid of which % was
was oil; % was emulsion; % water; and % was sediment. A.P.I.
Gravity.

GAS WELL: The production during the first 24 hours was M.C.F. plus barrels of
liquid Hydrocarbon. Shut in Pressure lbs.

Length of Time Shut in.

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico			Northwestern New Mexico		
T. Anhy.	1670'		T. Devonian		T. Ojo Alamo
T. Salt	1950'		T. Silurian		T. Kirtland-Fruitland
B. Salt	3460'		T. Montoya		T. Farmington
T. Yates	3642'		T. Simpson		T. Pictured Cliffs
T. 7 Rivers			T. McKee		T. Menefee
T. Queen			T. Ellenburger		T. Point Lookout
T. Grayburg			T. Gr. Wash.		T. Mancos
T. San Andres			T. Cranite		T. Dakota
T. Glorieta			T.		T. Morrison
T. Drinkard			T.		T. Penn.
T. Tubbs			T.		T.
T. Abo			T.		T.
T. Penn.			T.		T.
T. Miss.			T.		T.

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	1670'	1670'	Red Beds				
1670'	1950'	280'	Anhy. and shale				
1950'	3460'	1510'	Salt, Anhy. and shale				
3460'	3856'	396'	Sand, Dolomite, Anhy. and shale.				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far
as can be determined from available records.

April 18, 1957 (Date)

Company or Operator MORRIS R. ANTWEIL Address P. O. Box 1058

Name C. J. Davis, Jr. Position Title Geologist