

gn

Casing and Cementing Record

Date _____

Gals.

Total Depth

No. of Quarts	Shot at	Feet
No. of Quarts	Shot at	Feet

Date	Location	Date
10-11-38		
OCT 18 1938	T.D. 245 R.R. Rug 10 3/4"	
OCT 25 1938	T.D. 1220 A d plng	
NOV 1 - 1938	T.D. 323/L Fishing	
NOV 8 - 1938	3731-L COOC	
NOV 15 1938	T.D. 3810L F 117130 PH 0 1, 300 VI Gas 1.P. 75-B0 PH-2hr 3/4 F 1, 400 VI Gas	

LOG

[illegible]

Pool ARROWHEAD GRAYBURG

Operator

Arrowhead Grayburg Ut.

Lease Lockhart B-1Well No. -2¹⁵⁹

Unit

F

S

1

T

22

R

36

DATE OF TEST	Daily Allowable	PRODUCED DURING TEST			Gas-Oil Ratio	Packer Leakage Field
		Water, Bbls.	Oil, Bbls.	Gas, MCF		
10-2-71	24	4	175	4	1000	
10-2-72	24	4	181	4	3750	
9-4-73	24	4	181	5	1400	
9-23-74	24	5	135	3	28000	
10-17-75	24	3	121	4	1750	
10-21-76	24	4	88	4	4500	
10-8-77	24	4	168	4	16500	
10-8-78	24	4	160	5	2000	
9-25-79	24	8	263	8	10500	
10-15-80	24	8	304	6	8000	
9-19-81	24	8	302	5	6780	
9-14-82	24	8	285	4	6000	
10-13-82	24	4	279	5	3400	
9-7-84	24	1	301	6	3000	
8-5-85	24	16	496	12	3800	
10-25-85	24	1	535	15	6200	
9-19-86	24	1	510	11	4545	
9-18-87	24	1	532	15	3000	
7-23-88	24	15	250	45	3444	
9-13-89	24	1	203	20	11400	
9-5-90	24	1	375	10	10800	
10-10-91	24	3	167	13	278	

Lease _____ Well No. _____ Unit _____ S _____ T _____ R _____

[illegible]

Foc1 ARROWHEAD

 Operator CONTINENTAL OIL COMPANY

 Lease LOCKHART B

 Well No. 2 Unit F S 1 T 22 R 36

DATE OF TEST	DAILY ALLOWABLE	PRODUCED DURING TEST			GAS OIL RATIO
		WATER, BBLs.	OIL, BBLs.	GAS, MCF	
November 7, 1950	48	81.5	48.9	TSTM	
Jan 22, 1952	53	79	47	105	2230
12-23-53 24/Jan	40	68	46	41	889
12-9-54 24/Jan	40	33	41	52.7	1293
12-12-55 24/Jan	30	41	31	40.8	1316
5-15-56 24/Jan	30	71	36	70.5	1958
10-3-56 24/Jan	31	128	9	36.9	4100
9-17-57 24/Jan	6	104	19	48.1	2531
9-6-58 24/Jan	19	114	17	50.9	2171
9-7-59 24/Jan	17	119	17	50.1	2147
9-5-60 24	17	140	4	29.40	7350
9-3-61 24	4	141	4	16.2	4050
12-7-61 24	4	135	6	13.6	5366
9-19-62 24	6	124	6	12	2000
10-20-63 24	6	124	4	13.6	3400
9-7-64 24	4	136	4	14	3500
9-6-65 24	4	140	4	4	1000
10-12-66 24	4	143	4	8	2000
9-10-67 24	4	135	4	6	1500
9-15-68 24	4	130	4	16	4000
9-28-69 24	3	163	2	11	5500
10-28-69 24	3	197	10	13	1300
9-24-70 24	10	175	11		