

CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-73

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease
State ☐ Fee ☒
5. State Oil & Gas Lease No.

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- Name of Operator Chevron U.S.A. Inc. Address of Operator P.O. Box 670 Hobbs, NM 88240 Location of Well UNIT LETTER <u>L</u> <u>660</u> FEET FROM THE <u>West</u> LINE AND <u>1980</u> FEET FROM THE <u>South</u> LINE, SECTION <u>1</u> TOWNSHIP <u>22S</u> RANGE <u>36E</u> N.M.P.M. 15. Elevation (Show whether DF, RT, GR, etc.) 12. County Lea	7. Unit Agreement Name 8. Form or Lease Name <u>NOT</u> H. T. Mattern, E 9. Well No. 1 10. Field and Pool, or Wharft Arrowhead
--	--

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

FORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
FORABLY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPMS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
OR ALTER CASING <input type="checkbox"/>	OTHER <input checked="" type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	

Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

It is proposed to cleanout to 3790', RIH w/ RBP and treating pkr and test/repair csg to 500psi, (specific rpr procedure will be developed after testing). Run GR-CCL-CNL and open hole caliper. Geologist will recommend perf intervals. Perf w/2SPF, 180° phasing using tornado frac jets. Cleanout w/foam. Acid open hole w/2500 gallons 15% NEFE HCL acid at 4bpm and 3000psi. Swab well and report results, return to production.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

M. E. Abrin TITLE Staff Drilling Engr. DATE Feb. 29, 1988
Orig. Signed by Paul Kautz Geologist
DATE MAR 2 - 1988

RECEIVED
MAR 1 - 1968
CFC
HOBBS OFFICE