

* Pool ARROWHEAD GRAYBURG Operator Marathon Oil Company - Chevron USA Inc.
Arrowhead Grayburg Ut.
 Lease C. J. Saunders Well No. 2149 Unit D S 1 T 22 R 36

[illegible]

Pool ARROWHEAD GRAYBURGOperator Marathon Oil CompanyLease C. J. SaundersWell No. 2Unit DS 1T 22R 36

DATE OF TEST	Daily Allowable	PRODUCED DURING TEST			Gas Oil Ratio	Packer Leakage Field
		Water, Bbls.	Oil, Bbls.	Gas, MCF		
10-11-67	24	38	5.40	37.81	33.20	878
3-21-68	24	38	5.05	48.67	33.21	1082
10-14-68	24	49	1.26	40.03	61.32	1532
9-8-69	24	41	1.68	45.02	49.40	1097
10-5-69	24	46	1.68	48.93	38.27	782
10-4-70	24	49	3.37	45.50	49.81	1095
10-9-71	24	46	1.26	42.85	45.54	993
10-21-72	24	46	1.68	35.39	35.70	1008
10-27-73	24	36	3.3	34	30	882
10-18-74	24	25	2	24	27	1138
10-28-75	24	24	2	24	19	792
10-29-76	24	24	2	20	28	1400
10-15-77	24	20	2	20	33	1650
10-24-78	24	20	2	20	27	1350
10-24-79	24	20	2	20	25	1250
5-30-80	24	20	2	20	30	1500
10-12-80	24	20	2	20	20	1000
10-11-81	24	20	1	25	19	720
10-18-82	24	25	26	19	24	1263
10-21-83	24	19	27	18	11	61
10-25-84	24	18	20	18	12	667
10-3-85	24	18	1	13	3	830
10-18-86	24	13	2	13	6	462
10-29-87	24	13	20	33	30	909

Pool ARROWHEAD

Operator

OHIO OIL COMPANY

Lease SAUNDERS

Well No. 2 Unit D S 1 T 22 R 36

DATE OF TEST	DAILY ALLOWABLE	PRODUCED DURING TEST			GAS OIL RATIO
		WATER, BBLs.	OIL, BBLs.	GAS, MCF	
February 1951 24 hrs.	17	0	17	116,688	6,864
2-11-51 24 hrs.	17	0	17	140.71	5,863
11-14-53 24 hrs.	17	0	17.35	210.0	12,100
11-6-54 24 hrs.	11	0	12.15	140.9	11,598
11-20-55 24 hrs.	12	0	19.90	230.07	12,173
9-20-56 24 hrs.	11	0	12.60	189.77	15,061
9-14-57 24 hrs.	9	0	5.40	50.80	9,407
4-18-58 24 hrs.	6	0.20	15.37	114.2	74,30
7-10-58 24 hrs.	16	0.40	21.25	185.9	56,14
2-17-59 24 hrs.	14	0	14.91	160.28	31,85
1-4-59 24 hrs.	14	0	15.01	168.61	38,10
7-16-60 24	17	0	10.81	65.05	6,027
2-16-61 24	14	0	13.66	53.69	4,665
6-25-62 24	14	0	11.69	14.22	1,216
6-28-63 24	12	.29	14.84	17.60	1,186
10-28-63 24	15	0	5.40	7.89	1,461
10-13-64 24	6	0	4.95	4.00	808
9-23-65 24	2	0.23	2.25	5.5P	2,480
1-28-66 24	2	39.00	48.79	20.34	417
0-17-66 24	49	5.40	32.42	32.22	992
4-17-67 24	37				