

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

3a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
B-1732	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT" FORM C-1011 FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name	
2. Name of Operator		8. Farm or Lease Name	
GULF OIL CORPORATION		Harry Leonard (NCT-D)	
3. Address of Operator		9. Well No.	
P.O. Box 670, Hobbs, NM 88240		2	
4. Location of Well		10. Field and Pool, or Wildcat	
UNIT LETTER <u>A</u> , <u>330</u> FEET FROM THE <u>North</u> LINE AND <u>330</u> FEET FROM		South Eunice	
THE <u>East</u> LINE, SECTION <u>3</u> TOWNSHIP <u>22S</u> RANGE <u>36E</u> NMPM.			
15. Elevation (Show whether DF, RT, GR, etc.)		12. County	
3558' GL		Lea	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data			
NOTICE OF INTENTION TO:		SUBSEQUENT REPORT OF:	
PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <u>Clean out fill, acidize & install PE</u> <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

3824' PB. Tagged top of fill at 3763'. Broke through, tagged fill @ 3811' and began clean out. Cleaned out to 3824', leaving 21' fill in hole. Acidized w/2000 gals 15% NE double inhibited acid. Swabbed & tested. Installed PE.

Prior to workover, well flowed 1 BO, 0 BW & approx 34 MCF gas in 24 hours. After workover, well ppd 23 BO, 17 BW & 261 MCF gas in 24 hours. Work performed 1-30-80 through 2-19-80.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED D. J. Liles, Jr. TITLE Area Engineer DATE 2-22-80

APPROVED BY [Signature] TITLE [Signature] DATE 25 1980

CONDITIONS OF APPROVAL, IF ANY:

OIL CONSERVATION DIV.

FEB 22 '80

RECEIVED