

Santa Fe, New Mexico

Center
NW
SW

AREA 640 ACRES
LOCATE WELL CORRECTLY

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). **SUBMIT IN TRIPLICATE.**

Gulf Oil Corporation P. O. Box 661, Tulsa 2, Oklahoma
 Company or Operator Address
 J. F. Janda-F Well No. 2 in SW/4 of Sec. 4, T. 22S
 Lease
 R. 36E N. M. P. M., Eunice Field, Lea County.
 Well is 660 feet south of the North line and 1980 feet west of the East line of Southwest Quarter
 If State land the oil and gas lease is No. B-229 Assignment No. _____
 If patented land the owner is _____, Address _____
 If Government land the permittee is _____, Address _____
 The Lessee is Gulf Oil Corporation, Address Tulsa, Oklahoma
 Drilling commenced July 10, 1943 Drilling was completed November 1, 1943
 Name of drilling contractor Loffland Bros., Address Tulsa, Oklahoma
 Elevation above sea level at top of casing 3602 feet.
 The information given is to be kept confidential until _____ 19____.

OIL SANDS OR ZONES

No. 1, from 3300 to 3885 No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

Include data on rate of water _____

No. 1, from _____ to _____ feet. _____

No. 2, from _____ to _____ feet. _____

No. 3, from _____ to _____ feet. _____

No. 4, from _____ to _____ feet. _____

CASING RECORD

[illegible]

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12"	9-5/8"	291'	250	Halliburton	-	-
8-3/4"	5-1/2"	3750'	50	Halliburton	-	-

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
			150 Qts.	8-24-43	3824'-3884'	3885'
-		Sol. Nitroglycerin				
		Acid	2000 gal.	8-5-43		
		Acid	2000 gal.	9-18-43		

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3885 feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet
Initial production: swabbed & f

Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

Initial production; swabbed & flowed
62.29 oil & no water in 6 hours.

Put to producing August 7, 1943 4,000 cu. ft. gas by orifice well tester.

The production of the first 24 hours was _____ barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Ba _____

If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____

Rock pressure, lbs. per sq. in. _____

EMPLOYEES

_____, Driller _____, Driller _____
_____, Driller _____, Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 20th

day of November, 1943

Notary Public

My Commission expires Mar. 16 1977

Tulsa, Oklahoma Nov. 20, 1943

Name Shubham

Position Asst. General Superintendent

Representing Gulf Oil Corporation
Company or Operator

Address Box 661, Tulsa 2, Oklahoma

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	251		Sand, shale & shells
	310		Shale & red bed
	735		Shale & red rock
	965		Red bed
	1175		Red bed & shells
	1183		Red rock
	1243		Red bed & shells
	1340		Red rock & anhydrite
	1430		Anhydrite red rock
	1540		Anhydrite
	1565		Anhydrite streak salt
	3015		Anhydrite & salt
	3123		Anhydrite
	3210		Anhydrite & lime
	3238		Anhydrite
	3300		Anhydrite & lime
	3885		Reef dolomite (Total depth)
			JW/co