

NUMBER		LS RECEIVED	
DISTRIBUTION			
SANTA FE			
FILE			
U.S.G.S.			
LAND OFFICE			
TRANSPORTER	OIL		
	GAS		
PRODUCTION OFFICE			
OPERATOR			

(Form C-102)
(Revised 7/1/62)

NEW MEXICO OIL CONSERVATION COMMISSION
Santa Fe, New Mexico

MISCELLANEOUS NOTICES

strict Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the school on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPORARILY ABANDON WELL		NOTICE OF INTENTION TO DRILL DEEPER	
NOTICE OF INTENTION TO PLUG WELL		NOTICE OF INTENTION TO PLUG BACK		NOTICE OF INTENTION TO SET LINER	
NOTICE OF INTENTION TO SQUEEZE		NOTICE OF INTENTION TO ACIDIZE		NOTICE OF INTENTION TO SHOOT (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		NOTICE OF INTENTION (OTHER)		NOTICE OF INTENTION (OTHER)	

OIL CONSERVATION COMMISSION
SANTA FE, NEW MEXICO

Hobbs, New Mexico
(Place)

March 12, 1962
(Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Gulf Oil Corporation J. P. Janda (NCT-P) Well No. 6 in D
(Company or Operator) Lease (Unit)
NW 1/4 NW 1/4 of Sec. 4, T. 22-S, R. 36-E, NMPM, South Union Pool
(40-acre Subdivision)
Lee County.

FULL DETAILS OF PROPOSED PLAN OF WORK
(FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

It is proposed to Evaluate Jalnat Oil Zone as follows:

1. Pull rods and pump and kill well if necessary and pull tubing.
2. Run detailed GMA collar log in the interval 3100-3600'. Selectively perforate Jalnat oil zone 3380-3420'.
3. Run Baker straddle tools on 2-3/8" tubing. Set BP at approximately 3790' and pressure test casing with 2000#. Release BP and straddle Jalnat perforations.
4. Treat Jalnat zone with 500 gals 15% HCl Acid. Shut and test.
5. Provided additional stimulation treatment is required, pull tubing and packer (leave BP set). Fracture treat Jalnat perforations down 5-1/8" casing.
6. Run 2-3/8" tubing with BP retriever. Shut and test to evaluate Jalnat zone.
7. Provided Jalnat zone proves productive, kill well with No HCl, circulate sand off BP and retrieve tubing and BP.
8. Run 2-3/8" tubing with hookwell packer and set packer just above South Union (See Attachment)

Approved....., 19.....
Except as follows:

Approved
OIL CONSERVATION COMMISSION

By.....
Title.....

Gulf Oil Corporation

Company or Operator

By.....

Position Area Production Manager

Send Communications regarding well to:

Name Gulf Oil Corporation

Address Box 2167, Hobbs, New Mexico