NO. OF COPIES RECEIVED	₫:		Form C-103 Supersedes Old
DISTRIBUTION			C-102 and C-103
SANTA FE	NEW MEXICO OIL CONSERVA	TION COMMISSION	Effective 1-1-65
FILE	1		Con Ladicate Tura of Lance
U.S.G.S.			State X Fee
LAND OFFICE			
OPERATOR	ı		5. State Oil & Gas Lease No.
			B-1506
SUNDRY NOTICES AND REPORTS ON WELLS (DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVCIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)			
1. OIL GAS WELL WELL	OTHER- Dual Oil-Gas well		7. Unit Agreement Name
2. Name of Operator			8. Farm or Lease Name
Atlantic Richfield Company			State 157 "G"
3. Address of Operator			9. Well No.
P. O. Box 1710, Hobbs, New Mexico 88240			1-Y
4. Location of Well H 1980 FEET FROM THE NORTH LINE AND 810 FEET FROM			10. Field and Pool, or Wildoot Eunice 7Rivers On So. Jalmat Gas
THE East LINE, SECTION	on 5 Township 22S	RANGE 36E NMPM	
	15. Elevation (Show whether DF, R'	Γ, GR, etc.)	12. County
	3608'	GR	Lea
PERFORM REMEDIAL WORK TEMPORARILY ABANDON PULL OR ALTER CASING	CHANGE PLANS CASI	EDIAL WORK MENCE DRILLING OPNS. NG TEST AND CEMENT JQB	ALTERING CASING PLUG AND ABANDONMENT
OTHER	□		
17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103. TD 3900', PBD 3725'. Present perfs Eunice 7Rivers Queen So. zone 3775-3807, 3821-41, 3851-56' W/4 JSPF, Jalmat Gas zone 3232-50, 3258-82, 3292-3304, 3356-3370' w/2 JSPF. Model D pkr @ 3725' w/DR plug. 10-3/4" 32.67# spiral weld csg set @ 309', cmtd w/275 sx, cmt circ. 7" 17#, 20#, 23# csg set @ 3899'. Cmtd w/300 sx. TOC @ 860' from surface. 1 jt 2-3/8" EUE tbg below wellhead. Producing zones in this well are depleted, propose to P&A in the following manner: 1. Rig up, kill well, install BOP & POH w/l jt tbg. 2. Run 2-3/8" EUE tbg OE & spot 10 sx C1 C cmt approx 50' on top of Model D pkr @ 3725'. 3. Fill hole w/heavy gelled mud between all cmt plugs. 4. Pull tbg up hole & spot 30 sx C1 C cmt (100' cmt plug) across Jalmat perfs 3332-3370'. 5. Pull tbg up hole & spot 30 sx C1 C cmt (100' cmt plug) across top of salt @ 1670'. 6. Spot 10 sk cmt plug % surface, install regulation dry hole marker, clean & level location.			
18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.			
SIGNED TITLE Dist. Drlg. Supv. DATE 11/21/75			