



(SUBMIT IN TRIPLICATE)

UNITED STATES  
DEPARTMENT OF THE INTERIOR  
GEOLOGICAL SURVEY

Land Office Yucca  
Lease No. 117  
Unit 12345  
Date March 13 1957

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL	SUBSEQUENT REPORT OF WATER SHUT-OFF	1
NOTICE OF INTENTION TO CHANGE PLANS	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING	1
NOTICE OF INTENTION TO TEST WATER SHUT-OFF	SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR	
NOTICE OF INTENTION TO SHOOT OR ACIDIZE	SUBSEQUENT REPORT OF ABANDONMENT	
NOTICE OF INTENTION TO PULL OR ALTER CASING	SUPPLEMENTARY WELL HISTORY	
NOTICE OF INTENTION TO ABANDON WELL	<u>Subsequent report of casing</u>	1

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

January 13, 1957

Well No. 1 is located 3710 ft. from S line and 1650 ft. from E line of sec. 6  
NE 1/4 (1/4 Sec. and Sec. No.) 22 (Twp.) 36 (Range) 4 (Meridian)  
John (Field) 100 (County or Subdivision) New Mexico (State or Territory)

The elevation of the derrick floor above sea level is 3740 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well was plugged back from 3727' (170' to 3515' PWT). Pulled casing and ran cement retainer to 3515' and set at that depth. Pumped 75 sacks cement (first stage) and let set 8 hrs. Pumped 75 sacks cement (second stage), 35 sacks into formation, reversed out 15 sacks and left remainder in casing under retainer. Pulled tubing, perforated from 3512'-3612' (150') with 2 jet shots per foot and ran tubing to 3504'. Stopped and water with oil and acidized with 1000 gallon of mud acid.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Oil Service Oil Company  
Address Box 97  
John, New Mexico  
By [Signature]  
Title District Superintendent

