

Form 9-331a
(Feb. 1951)

COPY

DUPLICATE
(SUBMIT IN TRIPLICATE)
RECEIVED
UNITED STATES 1951
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY
ON CONSERVATION COMMISSION
HOBBS-OFFICE

Land Office Las Cruces
Lease No. 030132-A
Unit Closson

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.....	SUBSEQUENT REPORT OF WATER SHUT-OFF.....	
NOTICE OF INTENTION TO CHANGE PLANS.....	SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING.....	
NOTICE OF INTENTION TO TEST WATER SHUT-OFF.....	SUBSEQUENT REPORT OF ALTERING CASING.....	
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.....	SUBSEQUENT REPORT OF REDRILLING OR REPAIR.....	X
NOTICE OF INTENTION TO SHOOT OR ACIDIZE.....	SUBSEQUENT REPORT OF ABANDONMENT.....	
NOTICE OF INTENTION TO PULL OR ALTER CASING.....	SUPPLEMENTARY WELL HISTORY.....	
NOTICE OF INTENTION TO ABANDON WELL.....		

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

April 12, 1950

Well No. 4 is located 660 ft. from SW line and 660 ft. from E line of sec. 6
NE Sec. 6 22S 36E North
(1/4 Sec. and Sec. No.) (Twp.) (Range) (Meridian)
South-Bunice Lea New Mexico
(Field) (County or Subdivision) (State or Territory)

The elevation of the derrick floor above sea level is 3607 ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well was successfully repaired, all water plugged off and well recompleted as a gas well on March 14, 1950.

Tubing was pulled on March 3, 1950, well head and runs cleaned and repaired, a DS re-tainer run and set at 3754' and open hole squeezed with 10 sacks of cement with final pressure of 5000#. The well was then logged with lane-wells log, casing perforated from 3730 to 3725', tested dry and this section cemented off with 9 sacks of cement. The casing was then perforated from 3630 to 3620', tubing rerun and well swabbed in and tested. The well produced 7000 MCF of dry gas flowing on 1/4" choke and with 300# tubing pressure.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company Cities Service Oil Company

Address Drawer 9

Hobbs, New Mexico

By S. R. ...

Title District Superintendent