

N.

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPPLICATE.

AREA 640 ACRES  
LOCATE WELL CORRECTLY

Texas Pacific Coal & Oil Company

Fort Worth, Texas

Company or Operator

Address

State N.M."A" Ac. 2

Well No.

6

in

NW 1/4

of Sec.

7

T.

88-S

Lease

R. 36-E, N. M. P. M., So. Eunice Field, Lea County.

Well is 660 feet south of the North line and 1980 feet west of the East line of

If State land the oil and gas lease is No. N.M. 2-A Assignment No. A-983

If patented land the owner is, Address

If Government land the permittee is, Address

The Lessee is, Address

Drilling commenced September 23, 1937 Drilling was completed October 27, 1937

Name of drilling contractor Geo. P. Livermore, Address Kermit, Texas

Elevation above sea level at top of casing feet.

The information given is to be kept confidential until 19

OIL SANDS OR ZONES

No. 1. from Show oil 3697' to

No. 4. from to

No. 2. from to

No. 5. from to

No. 3. from to

No. 6. from to

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1. from to feet.

No. 2. from to feet.

No. 3. from to feet.

No. 4. from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED FROM TO	PURPOSE
12 1/2	50			275				Surface
9-5/8	36			1550				Salt String
7"	24			3732				Line

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
	12 1/2	275	210	Halliburton		
	9-5/8	1550	600	"		
	7"	3732	200	"		

PLUGS AND ADAPTERS

Heaving plug—Material Length Depth Set

Adapters—Material Size

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT

Results of shooting or chemical treatment

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from 0 feet to 3826 feet, and from feet to feet

Cable tools were used from feet to feet, and from feet to feet

PRODUCTION

Put to producing October 27, 1937

The production of the first 24 hours was 80.00 barrels of fluid of which % was oil; %

emulsion; % water; and % sediment. Gravity, Be

If gas well, cu. ft. per 24 hours Gallons gasoline per 1,000 cu. ft. of gas

Rock pressure, lbs. per sq. in.

EMPLOYEES

George P. Livermore

T. E. Massey, Superintendent for

Driller Texas Pacific Coal & Oil Co. Driller

Driller Driller

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this 29

day of October, 1937

Notary Public.

My Commission expires June 1, 1939

Fort Worth, Texas

October 29, 1937

Name T. E. Massey

Position

Representing Texas Pacific Coal & Oil Co.

Company or Operator

Address P. O. Box 2110, Fort Worth, Texas

## FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	205		Sand & Gravel
205	211		Red Rock
211	263		Sand, Rock & Shells
263	285		Red Bed
285	224		Red Bed & Shells
724	781		Red Rock
781	982		Red Bed and Shells
982	1097		Red Rock
1097	1166		Red Bed, Shale and Sand
1166	1225		Shale & sand
1225	1280		Red Bed and Shale
1280	1366		Red Bed, Shale and Shells
1366	1470		Red Bed and Shells
1470	1520		Red Bed, Shale and Shells
1520	1539		Anhydrite
1539	1543		Shale and Red Bed.
1543	1547		Anhydrite
1547	1550		Red Bed
1550	1880		Anhydrite & Salt
1880	1937		Salt
1937	2708		Salt & Anhydrite
2708	2795		Salt, Anhydrite & Red Rock.
2795	2905		Salt And Anhydrite
2905	2927		Red Rock, Anhydrite and Salt
2927	3024		Salt and Anhydrite
3024	3063		Anhydrite, Red Rock and Salt
3063	3125		Anhydrite & Salt
3125	3155		Broken anhydrite
3155	3172		Anhydrite and Lime
3172	3196		Broken Lime - Pockets of Gas
3196	3222		Lime
3222	3251		Lime - Small show of Gas
3251	3290		Lime
3290	3316		Lime and Anhydrite
3316	3545		Lime
3545	3680		Broken Lime
3680	3712		Broken Lime - Show of Oil at 3697
3712	3750		Broken Lime
3750	3783		Lime
3783	3826		Brown & White Lime Broken