


Orig: & Acc: '8

Revised 7/1/80
(Form C-100)JTR
WDM
HAM
F

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

DUPLICATE

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Sinclair Oil & Gas Company

State #157 "A"

(Company or Operator)

(Lease)

Well No. 2, in NW $\frac{1}{4}$ of SE $\frac{1}{4}$, of Sec. 9, T 22 S, R 36 E, NMPM.

South Danice

Pool,

Lee

County.

Well is 1900 feet from South line and 1900 feet from East lineof Section 9-22-36. If State Land the Oil and Gas Lease No. is 157Drilling Commenced 3-17, 19 55 Drilling was Completed 4-4, 19 55Name of Drilling Contractor Oscar Bourg Drilling CompanyAddress Midland, TexasElevation above sea level at Top of Tubing Head 3551. The information given is to be kept confidential until
19.....

OIL SANDS OR ZONES

No. 1, from <u>3712</u> to <u>3744</u>	No. 4, from
No. 2, from <u>3749</u> to <u>3755</u>	No. 5, from
No. 3, from <u>3759</u> to <u>3774</u>	No. 6, from

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from <u>None</u> to	feet.
No. 2, from	feet.
No. 3, from	feet.
No. 4, from	feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
10 3/4	32.75	N	314	Larkin			
7	20	N	3849	"		3712-44, 3749-55, 3759-74	OIL
2 3/8	4.7	N	3822				

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
17 1/4	10 3/4	314	275	Halliburton		
8 3/4	7	3849	300	"		

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized w/1,000 gallons of 15% mud acid, Sand Oil Frased w/6,000 gallons of oil and 6,000# sand.

Result of Production Stimulation 166 barrels of new oil in 11 hours.Depth Cleaned Out 3848

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from Surface feet to 3050 feet, and from _____ feet to _____ feet.
Cable tools were used from None feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing April 12, 1955

OIL WELL: The production during the first 24 hours was 357 barrels of liquid of which 100 % was
was oil; _____ % was emulsion; _____ % water; and _____ % was sediment. A.P.I.
Gravity 34

GAS WELL: The production during the first 24 hours was _____ M.C.F. plus _____ barrels of
liquid Hydrocarbon. Shut in Pressure _____ lbs.

Length of Time Shut in _____

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico		Northwestern New Mexico	
T. Anhy.	<u>1425</u>	T. Devonian	
T. Salt	<u>1525</u>	T. Silurian	
B. Salt		T. Montoya	
T. Yates	<u>3140</u>	T. Simpson	
T. 7 Rivers	<u>3139</u>	T. McKee	
T. Queen	<u>3497</u>	T. Ellenburger	
T. Grayburg		T. Gr. Wash.	
T. San Andres		T. Granite	
T. Glorieta		T. _____	
T. Drinkard		T. _____	
T. Tubbs		T. _____	
T. Abo		T. _____	
T. Penn.		T. _____	
T. Miss.		T. _____	
		T. Ojo Alamo	
		T. Kirtland-Fruitland	
		T. Farmington	
		T. Pictured Cliffs	
		T. Menefee	
		T. Point Lookout	
		T. Mancos	
		T. Dakota	
		T. Morrison	
		T. Penn.	

FORMATION RECORD

From	To	Thickness in Feet	Formation	From	To	Thickness in Feet	Formation
0	318	318	Caliche				
318	1208	890	Redbed & Gyp				
1208	1643	435	Anhydrite & Gyp				
1643	1900	257	Shale & Gyp				
1900	2023	123	Anhydrite, shale & Salt streaks				
2023	2516	493	Anhydrite & Salt				
2516	2622	106	Anhydrite				
2622	2976	354	Anhydrite & Salt				
2976	3041	65	Anhydrite & Gyp				
3041	3345	304	Anhydrite & lime				
3345	3850	505	Lime				

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Company or Operator Sinclair Oil & Gas Company Address 520 East Broadway, Hobbs, New Mexico
Name [Signature] Position or Title Dist. Supt.