

N

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to Oil Conservation Commission, Santa Fe, New Mexico, or its proper agent not more than twenty days after completion of well. Follow instructions in the Rules and Regulations of the Commission. Indicate questionable data by following it with (?). SUBMIT IN TRIPLICATE.

AREA 640 ACRES
LOCATE WELL CORRECTLY

TEXAS PACIFIC COAL AND OIL COMPANY **P. O. Box 2110, Fort Worth 1, Texas**
Company or Operator Address
State New Mexico "A" Ac. 2 Well No. **32** in _____ of Sec. **9**, T. **22-S**
Lease
R. **36-E** N. M. P. M. **So. Eunice** Field, **Lea** County.
Well is **1980** feet **North** of the **South** line and **660** feet **East** of the **West** line of **Sec. 9**
If State land the oil and gas lease is No. **2-A** Assignment No. **983**
If patented land the owner is _____ Address _____
If Government land the permittee is _____ Address _____
The Lessee is _____ Address _____
Drilling commenced **Dec. 1,** 19**45** Drilling was completed **Dec. 21,** 19**45**
Name of drilling contractor **M. B. K. Drilling Co.** Address **Tulsa, Oklahoma**
Elevation above sea level at top of casing **3566** feet.
The information given is to be kept confidential until _____ 19____

OIL SANDS OR ZONES

No. 1, from **(Broken) 3680** to **3843** No. 4, from _____ to _____
No. 2, from _____ to _____ No. 5, from _____ to _____
No. 3, from _____ to _____ No. 6, from _____ to _____

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from _____ to _____ feet.
No. 2, from _____ to _____ feet.
No. 3, from _____ to _____ feet.
No. 4, from _____ to _____ feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	THREADS PER INCH	MAKE	AMOUNT	KIND OF SHOE	CUT & FILLED FROM	PERFORATED		PURPOSE
							FROM	TO	
12-1/2	50		Lapweld	198'					
8-5/8	32		Saleas	1532					
5-1/2	14			3692					
2	4.7			3784					

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. SACKS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
15	12 1/2	208'	150			
11	8-5/8	1540	150			
7-7/8	5 1/2	3704	150			

PLUGS AND ADAPTERS

Heaving plug—Material _____ Length _____ Depth Set _____
Adapters—Material _____ Size _____

RECORD OF SHOOTING OR CHEMICAL TREATMENT

SIZE	SHELL USED	EXPLOSIVE OR CHEMICAL USED	QUANTITY	DATE	DEPTH SHOT OR TREATED	DEPTH CLEANED OUT
		acid	1000 gals	12-27-45		

Results of shooting or chemical treatment **Swabbed and flowed**

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto.

TOOLS USED

Rotary tools were used from **0** feet to **3843** feet, and from _____ feet to _____ feet
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet

PRODUCTION

Put to producing **December 21,** 19**45**
The production of the first 24 hours was **40(1/8" choke)** barrels of fluid of which _____ % was oil; _____ % emulsion; _____ % water; and _____ % sediment. Gravity, Be _____
If gas well, cu. ft. per 24 hours _____ Gallons gasoline per 1,000 cu. ft. of gas _____
Rock pressure, lbs. per sq. in. _____

EMPLOYEES

M. B. K. Drilling Co. Driller _____ Driller _____
Driller _____ Driller _____

FORMATION RECORD ON OTHER SIDE

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

Subscribed and sworn to before me this **11th**

day of **January**, 19**46**

L. A. Hartung
Notary Public

My Commission expires **6-1-47**

Fort Worth, Texas Jan. 11, 1946

Place _____ Date _____
Name **L. E. Schaper**

Position **Agent**

Representing **TEXAS PACIFIC COAL AND OIL CO.**
Company or Operator

Address **Fort Worth, Texas**

FORMATION RECORD

FROM	TO	THICKNESS IN FEET	FORMATION
0	165	165	Caliche
165	240	75	Sand & red bed
240	992	752	Red Bed
992	1215	223	Red Bed & Sand
1215	1338	123	Red Rock
1338	1410	72	Red Bed & Shells
1410	1470	60	Red Rock & Shells
1470	1478	8	Red Rock
1478	1560	82	Anhydrite
1560	2968	1408	Anhydrite & Salt
2968	3024	56	Anhydrite & Lime
3024	3090	66	Lime & Gyp
3090	3147	57	Anhydrite & Lime
3147	3235	88	Lime
3235	3374	139	Anhydrite & Lime
3374	3843	469	Lime
	3843'	TOTAL DEPTH	