		-	Budget Bureau 42-R358.2. Approval expires 12-31-52.				
Form 9-331 a (Feb. 1951) C C P Y C C P Y SUNDRY N	UNIT EPARTMENT GEOLO	IN TRIPLICATE) ED STATES OF THE INTERIO GICAL SURVEY	RECEIVED 15 1951				
NOTICE OF INTENTION TO DRILL NOTICE OF INTENTION TO CHANGE PLAN NOTICE OF INTENTION TO TEST WATER S NOTICE OF INTENTION TO RE-DRILL OR NOTICE OF INTENTION TO SHOOT OR ACT NOTICE OF INTENTION TO PULL OR ALTE NOTICE OF INTENTION TO ABANDON WEL	S SHUT-OFF REPAIR WELL DIZE R CASING	SUBSEQUENT REPORT OF SH SUBSEQUENT REPORT OF AN SUBSEQUENT REPORT OF R SUBSEQUENT REPORT OF AN SUBSEQUENT REPORT OF AN	ATER SHUT-DFFHOBBS.OFFICE				
(INDICATE ABOVE BY CHECK MARK (NATURE OF REPORT, NOTICE, OR OTHER DATA) Hobbs, New Mexico October 21, 19_39 Well No. <u>4-A</u> is located <u>660</u> ft. from Solution ft. from the sec. <u>18</u> line of sec. <u>18</u>							
SESE Sec. 18	22 - S	аб-е Мағ	M				
(% Sec. and Sec. No.) South Eunice	(Twp.) Lea	(Range) (Meri	New Nexico				
(Field)	(County	or Subdivision)	(State or Territory)				

The elevation of the derrick floor above sea level is ft.

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

This well is to be drilled to the big lime which we expect to find at approximately 3800'.

PROPOSED CASING FREGRAM							
		Frorosed					
Size	Weight	Amount	Casing Program				
10 3/4" CD 7 5/8"	32.75#	2001	Cemented back to surface				
7 5/8"	26#	1650'	Cemented back to bottom of surface pipe(hith 150% of calculated amount)				
5 ¹ "	15/#	37001	To be cemented back with 150% of the calculated amount to bring the cement to the bottom of the 7 5/8" string.				

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.							
Company	CITIS	SURVICE CII	C MPANY				
Address	Drawer	G					
	Hobbs,	Ne: Nexico		By	/s/ D D Bodie		
				Title	Division Supt!		
			U. S. GOVERNMENT PRINTING OFFICE	16-8 437-4			