

NEW MEXICO OIL CONSERVATION COMMISSION

Santa Fe, New Mexico

WELL RECORD

Mail to District Office, Oil Conservation Commission, to which Form C-101 was sent not later than twenty days after completion of well. Follow instructions in Rules and Regulations of the Commission. Submit in QUINTUPLICATE. If State Land submit 6 Copies

AREA 640 ACRES
LOCATE WELL CORRECTLY

Rice Engineering & Operating, Inc.

Eunice - Monument - Eumont SWD

Well No. H-20, in SE 1/4 of NE 1/4, of Sec. 20, T. 20 S, R. 37 E, NMPM.

Monument Pool, Lea County.

Well is 2475 feet from North line and 165 feet from East line of Section 20. If State Land the Oil and Gas Lease No. is Business Lease 147

Drilling Commenced June 10, 1959 Drilling was Completed July 11, 1959

Name of Drilling Contractor Stout & McQueen

Address 905 W. 15th Street, Odessa, Texas

Elevation above sea level at Top of Tubing Head 3506' The information given is to be kept confidential until Not confidential, 19

OIL SANDS OR ZONES

No. 1, from to No. 4, from to
No. 2, from to No. 5, from to
No. 3, from to No. 6, from to

SALT

IMPORTANT WATER SANDS

Include data on rate of water inflow and elevation to which water rose in hole.

No. 1, from 4451' to 4503' feet.
No. 2, from 4600' to 4726' feet.
No. 3, from 4682' to 4939' feet.
No. 4, from to feet.

CASING RECORD

SIZE	WEIGHT PER FOOT	NEW OR USED	AMOUNT	KIND OF SHOE	CUT AND PULLED FROM	PERFORATIONS	PURPOSE
9-5/8"	32.3	New	793'	Texas			Surface Casing
7"	20	New	4430'	Guide			Injection Csg.

MUDDING AND CEMENTING RECORD

SIZE OF HOLE	SIZE OF CASING	WHERE SET	NO. BAGS OF CEMENT	METHOD USED	MUD GRAVITY	AMOUNT OF MUD USED
12-1/4	9-5/8"	812'	500	Howco 1 plug	Water	
8-3/4	7"	4446'	750	Howco 1 plug	Water	

RECORD OF PRODUCTION AND STIMULATION

(Record the Process used, No. of Qts. or Gals. used, interval treated or shot.)

Acidized 4882 - 4939' w/2500 gal. 15%, 4600 - 4726 w/5200 gal. 15%, and 4451 - 4503' w/2300 gal. 15%.

Result of Production Stimulation Gravity injection rate down 7" casing before acid-16BWP/H

Gravity injection rate down 7" casing after acid-2400 BWP/H

Depth Cleaned Out 5004'

RECORD OF DRILL-STEM AND SPECIAL TESTS

If drill-stem or other special tests or deviation surveys were made, submit report on separate sheet and attach hereto

TOOLS USED

Rotary tools were used from 0 feet to 5004 feet, and from _____ feet to _____ feet.
Cable tools were used from _____ feet to _____ feet, and from _____ feet to _____ feet.

PRODUCTION

Put to Producing..... 19.....

OIL WELL: The production during the first 24 hours was.....barrels of liquid of which.....% was
was oil;% was emulsion;% water; and.....% was sediment. A.P.I.
Gravity.....

GAS WELL: The production during the first 24 hours was.....M.C.F. plus.....barrels of liquid Hydrocarbon. Shut in Pressure.....lbs.

Length of Time Shut in.....

PLEASE INDICATE BELOW FORMATION TOPS (IN CONFORMANCE WITH GEOGRAPHICAL SECTION OF STATE):

Southeastern New Mexico

Northwestern New Mexico

T. Anhy.....	T. Devonian.....	T. Ojo Alamo.....
T. Salt.....	T. Silurian.....	T. Kirtland-Fruitland.....
B. Salt..... 2430	T. Montoya.....	T. Farmington.....
T. Yates..... 2578	T. Simpson.....	T. Pictured Cliffs.....
T. 7 Rivers..... 2837	T. McKee.....	T. Menefee.....
T. Queen..... 3312	T. Ellenburger.....	T. Point Lookout.....
T. Grayburg..... 3620	T. Gr. Wash.....	T. Mancos.....
T. San Andres..... 4010	T. Granite.....	T. Dakota.....
T. Glorieta.....	T.	T. Morrison.....
T. Drinkard.....	T.	T. Penn.....
T. Tubbs.....	T.	T.
T. Abo.....	T.	T.
T. Penn.....	T.	T.
T. Miss.....	T.	T.

FORMATION RECORD

From	To	Thickness in Feet	Formation

From	To	Thickness in Feet	Formation

ATTACH SEPARATE SHEET IF ADDITIONAL SPACE IS NEEDED

I hereby swear or affirm that the information given herewith is a complete and correct record of the well and all work done on it so far as can be determined from available records.

July 20, 1959

Company or Operator RICE ENGINEERING & OPER., Inc. Address Box 1142, Hobbs, New Mexico (Date) _____
Name W. G. Abbott - W. G. Abbott Position Division Manager