NEW MEXICO GIL CONSERVATION COMMISSION

Santa Fe, New Mexico

MISCELLANEOUS NOTICES

184

Submit this notice in TRIPLICATE to the District Office, Oil Conservation Commission, before the work specified is to begin. A copy will be returned to the sender on which will be given the approval, with any modifications considered advisable, or the rejection by the Commission or agent, of the plan submitted. The plan as approved should be followed, and work should not begin until approval is obtained. See additional instructions in the Rules and Regulations of the Commission.

Indicate Nature of Notice by Checking Below

NOTICE OF INTENTION TO CHANGE PLANS		NOTICE OF INTENTION TO TEMPGRARILY ABONDON WITH	Notice of Intention to Drill Deeper	
NOTICE OF INTENTION TO PLUG WELL	X	NOTICE OF INTENSION TO PLUG BACK	Notice of Intention to Set Liner	
Notice of Intention to Squeeze		Notice of Intention to Acidize	Notice of Intention to Shoot (Nitro)	
NOTICE OF INTENTION TO GUN PERFORATE		Notice of Intention (Other)	Notice of Intention	

OIL CONSERVATION COMMISSION SANTA FE, NEW MEXICO

Hebbs,	New	Mexico
		(Dises)

rico March 26, 1964 (Place) (Date)

Gentlemen:

Following is a Notice of Intention to do certain work as described below at the.....

Company or Operator)	Humble-State	Well No	n
	1.22 S	Mildcat	(Unit)
	,,		Pool

......County.

FULL DETAILS OF PROPOSED PLAN OF WORK (FOLLOW INSTRUCTIONS IN THE RULES AND REGULATIONS)

We have drilled the above described test to total depth of 5300 feet and have found NO indication of production. We therefore propose to plug and abandon it in the following described manner. We will set a 25 sack cement plug in top of the Lamar Line at depth of 5100 feet. We will set a 25 sack cement plug at base of Salado salt at depth of 3410 feet. We will set a 25 sack cement plug at base of Salado salt at depth of 1040 feet. We will set a 25 sack cement plug at base of Rustler anhydrite at depth of 1040 feet. We will set a 25 sack cement plug in bottom of the 8-5/8" casing at 363 feet. We will set a 10 sack cement plug in top of the 8-5/8" casing with a Regulation marker set therein. We will then clear the location, after backfilling the pits, and leave the location site in an acceptable condition.

Verbal approval to plug and abandon this test was given by Mr. Joe Hamey on Larch 25, 1964.

Approved	By Kan a Miller
Approved OIL CONSERVATION COMMISSION	Send Communications regarding well to:
By <u>Clm</u>	Name