

NEW MEXICO OIL CONSERVATION COMMISSION  
Santa Fe, New Mexico

NOTICE OF INTENTION TO DRILL

Notice must be given to the District Office of the Oil Conservation Commission and approval obtained before drilling or completion begins. If changes in the proposed plan are considered advisable, a copy of this notice showing such changes will be returned to the sender. Submit this notice in QUINTUPPLICATE. One copy will be returned following approval. See additional instructions in Rules and Regulations of the Commission. If State Land submit 6 Copies. Attach Form C-128 in triplicate to each 3 copies of Form C-101.

Midland, Texas  
(Place)

December 16, 1964  
(Date)

OIL CONSERVATION COMMISSION  
SANTA FE, NEW MEXICO

Gentlemen:

You are hereby notified that it is our intention to commence the Drilling of a well to be known as  
MEXACO Inc.

(Company or Operator)

C. L. 11 "B"

(Lease)

Well No. 6

(Unit)

The well is

located 660 feet from the South

line and 660 feet from the

East

line of Section 11, T-20-S, R-37-E, NMPM.

(GIVE LOCATION FROM SECTION LINE)

Weir Blinberry, East

Pool, Lea

County

|   |   |   |   |
|---|---|---|---|
| D | C | B | A |
| E | F | G | H |
| L | K | J | I |
| M | N | O | P |

If State Land the Oil and Gas Lease is No.

If patented land the owner is

Address

We propose to drill well with drilling equipment as follows:

The status of plugging bond is \$10,000 blanket surety bond of Maryland Casualty Co. Filed with State Geologist.

Drilling Contractor Unknown at present.

We intend to complete this well in the formation at an approximate depth of feet.

CASING PROGRAM

We propose to use the following strings of Casing and to cement them as indicated:

| Size of Hole | Size of Casing | Weight per Foot | New or Second Hand | Depth | Sacks Cement |
|--------------|----------------|-----------------|--------------------|-------|--------------|
|              |                |                 |                    |       |              |
|              |                |                 |                    |       |              |
|              |                |                 |                    |       |              |
|              |                |                 |                    |       |              |

SEE ATTACHED SHEET FOR CASING PROGRAM

If changes in the above plans become advisable we will notify you immediately.

ADDITIONAL INFORMATION (If recompletion give full details of proposed plan of work.)

Approved \_\_\_\_\_ 19\_\_\_\_

Except as follows:

ILLEGIBLE

OIL CONSERVATION COMMISSION

Sincerely yours,

MEXACO Inc.

(Company or Operator)

By

J. J. Velten

Position

Division Civil Engineer

Send Communications regarding well to

Name

J. H. Markley

Address

P. O. Box 3109, Midland, Texas

CASING PROGRAM

We propose to use the following strings of casing and to cement them as indicated:

| Size of Hole | Size of Casing | Weight per foot      | New or Second Hand | Depth | Sacks Cement |
|--------------|----------------|----------------------|--------------------|-------|--------------|
| 11"          | 5 7/8"         | 24#, 17.23#<br>& 20" | New                | 1400' | 550*         |
| 7-7/8"       | 5 7/8"         | 6.5#                 | New                | 6900' | 800 **       |
|              | 5 7/8"         | 6.5#                 | New                | 6900' |              |
|              |                |                      |                    |       |              |
|              |                |                      |                    |       |              |
|              |                |                      |                    |       |              |
|              |                |                      |                    |       |              |
|              |                |                      |                    |       |              |

\* Cement with 350 Sacks Class "C" 4% gel, followed by 200 Sacks Class "C" Neat. Use accelerator in Neat.

\*\* Install centralizers over pay & on first three joints above pay. Cement with 400 Sacks Class "C" 8% gel containing friction reducer, followed by 400 Sacks Class "C" 4% gel. Precede cement with 30 barrels fresh water.

FORMATION TOPS EXPECTED

|              |       |
|--------------|-------|
| Anhydrite    | 1390' |
| Top of salt  | 1560' |
| Base of salt | 2600' |
| Yates        | 2670' |
| Penrose      | 3615' |
| Glorieta     | 5253' |
| Blaine       | 5323' |
| Tubb         | 6410' |
| Drinkard     | 6865' |
| Total Depth  | 6900' |

**ILLEGIBLE**

NEW MEXICO OIL CONSERVATION COMMISSION  
WELL LOCATION AND ACREAGE DEDICATION PLAT

FORM C-128  
Revised 5/1/57

SEE INSTRUCTIONS FOR COMPLETING THIS FORM ON THE REVERSE SIDE


SECTION A

|                                                                                                          |                                        |                                         |                                |               |
|----------------------------------------------------------------------------------------------------------|----------------------------------------|-----------------------------------------|--------------------------------|---------------|
| Operator<br>TEXACO Inc.                                                                                  |                                        | Lease<br>C. H. Weir "B"                 |                                | Well No.<br>6 |
| Unit Letter<br>P                                                                                         | Section<br>11                          | Township<br>20 South                    | Range<br>37 East               | County<br>Lea |
| Actual Footage Location of Well:<br>660 feet from the South line and 660 feet from the East line Sec. 11 |                                        |                                         |                                |               |
| Ground Level Elev.<br>3563                                                                               | Producing Formation<br>Blinebry & Tubb | Pool<br>Weir Blinebry East<br>Weir Tubb | Dedicated Acreage:<br>40 Acres |               |

1. Is the Operator the only owner in the dedicated acreage outlined on the plat below? YES ☒ NO ☐ . ("Owner" means the person who has the right to drill into and to produce from any pool and to appropriate the production either for himself or for himself and another. (63-3-29 (e) NMSA 1935 Comp.)
2. If the answer to question one is "no," have the interests of all the owners been consolidated by communitization agreement or otherwise? YES ☐ NO ☐ . If answer is "yes," Type of Consolidation \_\_\_\_\_
3. If the answer to question two is "no," list all the owners and their respective interests below:

| Owner | Land Description |
|-------|------------------|
|       |                  |
|       |                  |

SECTION B



CERTIFICATION

I hereby certify that the information in SECTION A above is true and complete to the best of my knowledge and belief.

|          |                         |
|----------|-------------------------|
| Name     | J. J. Velten            |
| Position | Division Civil Engineer |
| Company  | TEXACO Inc.             |
| Date     | 12/16/64                |

I hereby certify that the well location shown on the plat in SECTION B was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

|                                                       |              |
|-------------------------------------------------------|--------------|
| Date Surveyed                                         | 12/15/64     |
| Registered Professional Engineer and/or Land Surveyor | J. J. Velten |
| Certificate No.                                       | 8174         |