

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease	
State <input checked="" type="checkbox"/>	Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.	
NM-1692	

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT -" (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER- <input type="checkbox"/>		7. Unit Agreement Name
2. Name of Operator		8. Farm or Lease Name
Shell Oil Company		State GRA State
3. Address of Operator		9. Well No.
P. O. Box 1858, Roswell, New Mexico		1
4. Location of Well		10. Field and Pool, or Wildcat
UNIT LETTER E, 1980 FEET FROM THE north LINE AND 660 FEET FROM		Wildcat
THE west LINE, SECTION 3 TOWNSHIP 22-S RANGE 34-E NMPM.		
15. Elevation (Show whether DF, RT, GR etc.)		12. County
Est. 3650' DF		Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:

REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

Spudded at 7:30 PM (MST), June 1, 1965.

Ran 352' of 16" (65#, J-55) casing and cemented at 370' with 400 sx Incor plus 2% CaCl₂. Left 30' cement in casing. Circulated 50 sacks. Plug down at 10:30 AM (MST), June 2, 1965. After WOC 12 hours, tested with 1000 psi for 30 minutes - no pressure drop.

Option Two:

- 472.0 cu. ft.
- 400 sx Incor plug 2% CaCl₂.
- 60° F.
- 64° F.
- 500 psi.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Original Signed By R. J. Doubek TITLE Division Mechanical Engineer DATE June 3, 1965

APPROVED BY _____ TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY: