

STATE OF NEW MEXICO
ENERGY AND MINERALS DEPARTMENT

OIL CONSERVATION DIVISION
P. O. BOX 2088
SANTA FE, NEW MEXICO 87501

Form C-103
Revised 10-1-78

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

5a. Indicate Type of Lease	
State <input type="checkbox"/>	Fee <input checked="" type="checkbox"/>
5. State Oil & Gas Lease No.	
..	

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT" -- (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>		7. Unit Agreement Name	
2. Name of Operator		8. Farm or Lease Name	
TEXACO Inc.		C.H. Weir B	
3. Address of Operator		9. Well No.	
P. O. Box 728 - Hobbs, New Mexico 88240		7	
4. Location of Well		10. Field and Pool, or Wildcat	
UNIT LETTER J 1980 FEET FROM THE South LINE AND 2307 FEET FROM		Skaggs Drinkard	
THE East LINE, SECTION 11 TOWNSHIP 20-S RANGE 37-E NMPM.			
15. Elevation (Show whether DF, RT, GR, etc.)		12. County	
3596' (DF)		Lea	

16. Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER Addl. Drk. Perfs. <input checked="" type="checkbox"/>	CASING TEST AND CEMENT JOBS <input type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Rig up. Install DOP.
2. Clean out to 6940'.
3. Perforate 2-7/8" Drinkard string w/2 JSPF @ 6877', 87', 97', 6904', 14', 20' & 6928'.
4. Acidize w/1600 gals. 15% NE acid. Flush w/2% KCL water.
5. Frac w/4000 gals Versagel, 3750# 100 mesh & 11,000# 20/40 sand.
6. Run production equipment. Test & place on production.

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED [Signature] TITLE Asst. Dist. Supt. DATE 6-5-79

APPROVED BY Orig. Signed by John Runyan TITLE Geologist DATE JUN 7 1979
CONDITIONS OF APPROVAL, IF ANY:

RECEIVED

JUN 6 1979

OIL CONSERVATION COMM.
B-175, EL AL