



FIELD Blinebry, Drinkard & Wantz STATE NM

API 30-025-21602

## MAP

CO-ORD

7-3-66 NM

RE<sub>SPD</sub> 8-21-81 RE<sub>CMP</sub> 8-28-81

|                     |        |           |
|---------------------|--------|-----------|
| WELL CLASS: INIT DX | FIN D0 | LSE. CODE |
|---------------------|--------|-----------|

## FORMATION

DATUM

## FORMATION

DATUM

\_\_\_\_\_

---

---

---

---

TD 7300 (ABO)

|     |      |
|-----|------|
| PBD | 7289 |
|-----|------|

Pot based on 24 hr test. GOR 4800; gty (NR)

OPRS ELEV 3392 DF

sub-s

IC 30-025-70591-82

COUNTY LEA FIELD Blinebry/Drinkard/ STATE NM  
 OPR HARPER OIL COMPANY /Wanlz-Abo  
2 Sarkeys, S. J.  
 Sec. 26, T-21-S, R-37-E CO-ORD  
1650' FNL, 990' FEL of Sec. MN 21602  
 Spd 1-17-66; Cmp 3-1-66 (Rli);  
2-20-66 (Abo); 2-25-66 (Drkd) CLASS EL  

| FORMATION              | DATUM               | FORMATION | DATUM |
|------------------------|---------------------|-----------|-------|
| CSG & SX - TUBING      |                     |           |       |
| 9 5/8" 1740' 500       |                     |           |       |
| 7" 1289' 1050          |                     |           |       |
|                        |                     |           |       |
|                        |                     |           |       |
|                        |                     |           |       |
|                        |                     |           |       |
| LOGS EL GR RA IND HC A |                     |           |       |
|                        | ED 7300', PBD 7289' |           |       |

25 Blinebry Perfs 5710-5861' Swbd & Flwd 53 BOPD + 2 BW. Pot.  
 Based on 24 hr test, gas volume 72 MCFGPD.  
 1- Drinkard Perfs 6445-6546' F 174 BOPD + 17 BW. Pot. Based on 13  
 hr test, gas volume 100 MCFGPD, 24/64" shk., GOR 414.  
 2- Drinkard Perfs 6547-6648' F 712 BOPD. Pot. Based on 13 hr test of  
 2-20-66, gas volume 100 MCFGPD, Gravity 42, GOR 1895.  
 Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONTRACTOR Leatherwood Drilg. Co. PROP DEPTH 7300' TYPE  
 DATE

F.R. 1-6-66; Cpr's Elev. 3378' GL  
 ED 7300' - Abo  
 Contractor - Leatherwood Drilg. Co.  
 1-24-66 Orig. 3418'.  
 1-31-66 Orig. 4905'.  
 2-7-66 Orig. 6383' lm.  
 2-10-66 ED 7300', prep to run casing.  
 PSI (Abo) 5780-7015', open 2 hrs 30 mins,  
 CPS 14 mins,  
 Rec 450' GCM, 2625' free oil +  
 120' str.  
 2-21-66 2-21-66 7-21-66, ST 648-1133#,  
 2-21-66 7-21-66 10278; NF 3661-3628#.  
 2-21-66 2-21-66 prep to perf.

5-27-66 ID 7300', prep to perf, (Drinkard)  
Perf (Abo) @ 6777', 6820', 6840', 6844',  
6857', 6887', 6896', 6962', 6971', 6984',  
6996', 7006', 7037', 7046', 7068', 7082',  
7126', 7136', 7161', 7185', 7213'  
Ac (6777-7213') 6000 gals.  
5-7-66 ID 7300', tstg (Blinebry)  
Perf (Drinkard) @ 6445', 6453', 6466',  
6489', 6502', 6511', 6528', 6531', 6546'  
Prod (6445-6546') 20,000 gals oil +  
20,000# sd.  
Perf (Blinebry) @ 5710', 5725', 5736', 5747',  
5755', 5769', 5774', 5789', 5798', 5817',  
5836', 5861' w/1 SPT  
Prod (5710-5861') 20,000 gals jelled brine

+ 20,000# sd.  
5-15-66 ID 7300', COMPLETED  
(Holding for tops)  
5-28-66 ID 7300', Completion Reported.  
100 IOPS: Anhydrite 1270', Base Salt  
2420', Yates 2562', Queen 3382', San  
Andres 3950', Glorieta 5155', Blinebry  
5685', Salt 6140', Drinkard 6416', Abo  
6644'.