

NO. OF COPIES RECEIVED	
DISTRIBUTION	
SANTA FE	
FILE	
U.S.G.S.	
LAND OFFICE	
OPERATOR	

NEW MEXICO OIL CONSERVATION COMMISSION

Nov 15 8 09 AM '65

Form C-103
Supersedes Old
C-102 and C-103
Effective 1-1-65

5a. Indicate Type of Lease State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No. E 9438

SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR.
USE "APPLICATION FOR PERMIT - " (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input checked="" type="checkbox"/> GAS WELL <input type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator The British-American Oil Producing Co.	8. Farm or Lease Name Jalnat Deep
3. Address of Operator P. O. Box 474 Midland, Texas	9. Well No. 1
4. Location of Well UNIT LETTER M 660 FEET FROM THE South LINE AND 660 FEET FROM THE West LINE, SECTION 1 TOWNSHIP 22-S RANGE 35-E NMPM.	10. Field and Pool, or Wildcat Wildcat
15. Elevation (Show whether DF, RT, GR, etc.) 3593 GL	12. County Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data
NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>	REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>	COMMENCE DRILLING OPNS. <input type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>	CASING TEST AND CEMENT JOB <input type="checkbox"/>	OTHER Deviate toward the vertical to straighten crooked hole. <input checked="" type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

1. Drilled 8 3/4" hole to 9547 with deviations as follows: (8 5/8" casing @ 5524), 5905-3/40, 6189-1 1/40, 6720-1 1/40, 7044-1 3/40, 7410-1 1/20, 7480-1 1/40, 7758-2 1/20, 7885-30, 7979-2 1/20, 8166-2 1/20, 8270-2 3/40, 8415-2 3/40, 8496-3 3/40, 8544-3 3/40, 8639-3 3/40, 8851-3 1/20, 8891-3 1/40, 9111-3 1/20, 9140-4 1/40, 9230-4 1/20, 9330-4 3/40, 9338-50, 9365-50, 9429-50, 9492-5 1/20, 9500-6 1/40, 9523-6 1/20.

2. Spotted 140 sx. Incor cement with 37 sx. of sand from 9547 to 9123.

3. WOC 24 hrs.

4. Drilled in old hole to dress off plug to 9168.

5. Drilled to 9229 using Drilco "Bit Boss" tool in an attempt to deviate hole toward the vertical, but did not leave old hole.

6. Ran directional survey in old hole at 9229, inclination 4 1/40 in a direction of South 640 East.

7. Oriented whipstock North 640 West and drilled 17' of new hole to 9246' using 6 5/8" bit.
(Continued on back of page)

18. I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED M. C. Standorf, Jr. TITLE Field Superintendent DATE 11/12/65

APPROVED BY [Signature] TITLE _____ DATE _____

CONDITIONS OF APPROVAL, IF ANY:

8. Reamed new hole from 9229' ~~to 9246'~~ with 8 3/4" bit and drilled to 9238'.
9. Ran directional survey at 9238, inclination 2° in a direction of North 73° East.
10. Now drilling 8 3/4" hole at 9498. The following are the new hole deviations:
9238-2°, 9266-2 1/4°, 9302-2 3/4°, 9328-2 3/4°, 9360-2 3/4°, 9391-3°, 9423-3°, 9440-2 3/4°, 9459-3 1/2°.