

# WRS COMPLETION REPORT

COMPLETIONS SEC 11 TWP 20S RGE 38E  
PI# 30-T-0015 11/22/89 30-025-22165-0002 PAGE 1

NMEX LEA \* 1980FNL 660FEL SEC SE NE  
STATE COUNTY FOOTAGE SPOT  
BABER WELL SERVICING D X DO  
OPERATOR WELL CLASS INIT FIN  
1 HOWSE "C"  
WELL NO LEASE NAME  
3577KB HOUSE  
OPER ELEV FIELD POOL AREA  
API 30-025-22165-0002  
LEASE NO PERMIT OR WELL ID NO  
11/10/1988 10/01/1989 WO-UNIT VERT OIL-WO  
SPUD DATE COMP DATE TYPE TOOL HOLE TYPE STATUS  
7243 ABO NOT RPTD  
PROJ DEPTH PROJ FORM CONTRACTOR  
DTD 7810 OTD 7810 FM/TD ABO  
DRILLERS T.D. LOG T.D. PLUG BACK TD OLD T.D. FORM T.D.

## LOCATION DESCRIPTION

3 MI S NADINE, NM

## TUBING DATA

TBG 2 3/8 AT 7780

## INITIAL POTENTIAL

IPP 85BOPD 135 MCFD 35BW 24HRS  
ABO PERF 7300- 7649  
PERF 7300- 7649  
ACID 7300- 7649  
NO DETAILS

GTY, GOR-NO DETAIL

## PRODUCTION TEST DATA

DRINKARD PERF 6964- 7033  
PERF 6964- 7033  
SQZD 6964- 7033  
SQZD & DOC TO 7810

## DRILLING PROGRESS DETAILS

BABER WELL SERVICING  
BOX 1772  
HOBBS, NM 88240  
505-393-5516  
OWWO: OLD INFO: FORMERLY AMOCO PROD 1 HOWSE

CONTINUED IC# 300257032989

Copyrighted 1989  
Reproduction  
Prohibited

Petroleum Information

PI WRS  
Form N

DB a company of  
The Dun & Bradstreet Corporation

COMPLETIONS SEC 11 TWP 20S RGE 38E  
P1# 30-T-0015 11/22/89 30-025-22165-0002 PAGE 2

BABER WELL SERVICING D X DO  
1 HOWSE "C"

DRILLING PROGRESS DETAILS

"C". ELEV 3577 DF. 9 5/8 @ 1547 W/800 SX,  
7 @ 4476 W/500 SX, 4 1/2 LNR @ 4197-7810 W/700  
SX. OTD 7810. PB 7150. COMP 12/15/68.  
IPF 301 BO, 48 BWP. PROD ZONE: DRINKARD  
6964-7033.

ABANDON LOCATION ISSUED 01/21/88  
FORMERLY ABND OWWO BY INGRAM TOM L UNDER SAME  
API & IC 30-025-70390-88

11/06 LOC/1989/  
11/17 7810 TD  
COMP 10/1/89, IPP 85 BO, 135 MCFG, 35 BWP  
GOR (NR), GTY (NR)  
PROD ZONE - ABO 7300-7649  
FIRST REPORT & COMPLETION

COUNTY IZA FIELD House-Drinkard STATE NM

OPR PAN AMERICAN PET. CORP.

1 Howse "C" MAP

Sec. 11, T-20-S, R-38-E

1980' ETL, 650' ETL of Sec. CO-ORD

Snd 8-23-67

Opd 12-7-67 EL 35772

| CSG & SX - TUBING         | CLASS     |       |           |       |
|---------------------------|-----------|-------|-----------|-------|
|                           | FORMATION | DATUM | FORMATION | DATUM |
| 9 5/8" 1347' 500          |           |       |           |       |
| 7" 4475' 500              |           |       |           |       |
| 4 1/2" 1hr 4197-7810' 700 |           |       |           |       |
|                           |           |       |           |       |
|                           |           |       |           |       |
|                           |           |       |           |       |
|                           |           |       |           |       |
|                           |           |       |           |       |

LOGS EL GR RA IND HC A

TD 7810'; PED 7805'

NP Ato Penfs 7214-7782' Propd 38 BOPD + 10 FW. For. Based on 24 hr test, GOR 2120, Gravity 35.

Distribution limited and publication prohibited by subscribers' agreement.  
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. 620000  
DATE

PROP DEPTH 7170' TYPE 2

12-12-67 F.R. 8-29-67; Opr's Elev. 3517' R38  
PD 7150' - Drinkard  
Contr. - Cactus  
AMEND FIELD DESIGNATION & PROP. DEPTH:  
Formerly reported as Howse-SA; 4400'.  
Drig. 3134'.  
8-28-67 TD 4476', PED 4453', prep penf.  
9-5-67 DSE 4270-4476', open 2 hrs,  
CIS 37 mins,  
Rec 273' GCM, w/tr. oil,  
1 hr FSEP 1267#, EP 112-239#,  
3 hr FSEP 1378#.  
9-11-67 TD 4476', PED 4473', -whe.  
Perf @ 4285', 4300', 4333', 4346', 4360',  
4380' W/1 SPI  
Acid (4285-4380') 30% pails.  
Swld 138 FLW + 74 BSW + 9 BVO in 26 hrs.

9-18-67 TD 4476', PED 4453', Swbg load.  
Swbd 1 BO + 22 BW in 9 hrs (4285-4380')  
Frac (4285-4380') 15,000 gals wtr +  
22,500# sd.  
Swbd 300 BLW in 24 hrs.  
9-25-67 TD 4476', PED 4453', RU Pump  
Swbd 9 BO + 34 BLW in 6½ hrs.  
10-2-67 TD 4476', PED 4453', TOP  
Fmpd 11 BO + 38 BW in 16 hrs.  
10-16-67 Drlg. 4776'  
Fmpd 3 BO + 23 BW in 24hrs (4285-4380')  
10-23-67 Drlg. 6553'.  
10-30-67 Drlg. 7145'.  
11-6-67 TD 7810', PED 7805', WO Comp Unit  
DST 7688-7795', open 1 hr,  
Rec 15' DF  
1 hr 30 min ISIP 19½#, BP 69-69#,

2 hr 30 min ISIP 3½#, HF 3459-3459#.  
Cored 7795-7810', rec 13½' dns dolo.,  
w/scatt sh strks, BS.  
11-13-67 TD 7810', PED 7805', swbg.  
Fert @ 7214', 7231', 7296', 7314', 7316',  
7323', 7440', 7487', 7536', 7564', 7591',  
7622', 7637', 7658', 7701', 7723', 7756',  
7782' W/2 SFE  
Acid (7214-7782') 2000 gals 15%  
Swbd 60 BO + 57 BLW in 3 hrs (7214-7782')  
Acid (7214-7782') 6 BO gals 20%  
Flwd 142 BO + 167 BW in 14 hrs on 30/64"  
chk., TP 210#.  
11-20-67 TD 7810', PED 7805', SA Storage.  
11-27-67 TD 7810', PED 7805', prep RU Pump  
Swbd & Flwd 69 BO + 12 BW in 20 hrs.  
12-4-67 TD 7810', PED 7805', TOP  
Fmpd 56 BO + 4 BLW in 20 hrs.

COUNTY LEA FIELD House Drinkard STATE NM 30-025-22165  
 OPR PAN AMERICAN PET. CORP. MAP  
 1 Howse "C"  
 Sec 11, T-20-S, R-38-E  
 1980' FNL, 660' FEL of Sec. CO-ORD

| Re-Cmp 12-15-68                | CLASS               |       | EL        |       |
|--------------------------------|---------------------|-------|-----------|-------|
|                                | FORMATION           | DATUM | FORMATION | DATUM |
| CSG & SX - TUBING              |                     |       |           |       |
| 9 5/8" at 1547' w/800 sx       |                     |       |           |       |
| 7" at 4476' w/500 sx           |                     |       |           |       |
| 4 1/2" lnr 4197-7810' w/700 sx |                     |       |           |       |
|                                |                     |       |           |       |
|                                |                     |       |           |       |
| LOGS EL GR RA IND HC A         |                     |       |           |       |
|                                | TD 7810'; PBD 7150' |       |           |       |

IP (Drinkard) Perf 6964-7033' Swbd & F 301 BOPD + 48 BW. Pot based on 9 hr test.

Distribution limited and publication prohibited by subscribers' agreement.  
 Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. DATE PROP DEPTH 7033' TYPE WO

F.R.C. 2-6-69  
 PD 7033' WO  
 (Orig. comp 12-7-67 thru (Abo) Perfs 7214-7782',  
 OTD 7810', OPB 7805')  
 2-4-69 TD 7810'; PBD 7150'; COMPLETE  
 Set Ret @ 7150'  
 Sqzd (7214-7782') w/100 sx  
 Perf (Drinkard) 6964-68', 6972-76', 6982-84',  
 6988-90', 7004-08', 7014-19', 7029-33' w/2 SFF  
 Acid (6964-7033') 3000 gals (15%)  
 2-6-69 COMPLETION REPORTED

1

-

-

-

-

-

-

-

-

-

LEA House-Drinkard NM Sec. 11-205-08E  
PAN AMERICAN PET. CORP., #1 Howse "Q" Page #3

12-11-67 TD 7810', PED 7805', COMPLETE  
LOG: Queen 3647', Graybung 3997', SA  
4267', Glor 5587', Tubb 6588', Drinkard  
6957', Abo 7110'.

