

COUNTY LEA FIELD Elmout STATE NM 30-025-22837

OPR CONTINENTAL OIL CO. MAP

90 SEMI Penn

Sec 22, T-20-S, R-37-E CO-ORD

660' FSL, 660' FEL of Sec.

Spd 12-9-68

Cmp 4-18-70 CLASS EL 3531E

CSG & SX - TUBING	FORMATION	DATUM	FORMATION	DATUM
13 3/8" at 315' w/375 sx				
9 5/8" at 3710' w/1100 sx				
5 1/2" at 7794' w/1100 sx				
LOGS EL GR RA IND HC A				
	TD 7796'	PED 3690'		

IP (Queen) Perfs 3521-3660' CAOF 3934 MOFGPD; GOR dry, Grav (gas)
.680, SIWHP 505#.

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT. Moran PROP DEPTH 7800' TYPE RT
DATE

F.R. 11-14-68; Opr's Elev 3531' DF
PD 7800' - RT - Pennsylvanian
Contr. - Moran
7-9-70 AMEND FIELD NAME: Formerly reported as Cass.
12-16-68 TD 3457' 1L, On trip
12-23-68 Dalg 5475' m
1-6-69 TD 7796', Rng logs
DST 7615-7710', open 2 hrs,
GTS 5 min
Fav out 15 BO&CCM
Rec 120' salty sul wtr below sub
30 min ISIP 3064#, FP 229-551#,
9 hr 15 min FSIP 3131#
1-13-69 TD 7796', WOC
SP-DST 6802-42', open 2 hrs 30 min
Rec 633' GIDP + 5' oil + 100' G&CCM

LEA

Eumont

NM

Sec 22, T20S, R37E

CONTINENTAL OIL CO.

90 SEMU Penn

Page 2

1-13-69 Continued
1 hr ISIP 1656#, FP 46-69#,
2 hr FSIP 1839#
1-20-69 TD 7796', PBD 7569', Swbg
Perf @ 7612', 7624', 7627', 7634', 7641',
7649', 7654', 7661', 7664', 7674', 7687',
7691' w/l SPI
Acid (7612-91') 3000 gals
Swbd 164 BFW in 7 hrs (7612-91')
Sqzd (7612-91') 50 sx
Perf @ 6825', 6831', 6837', 6850', 6852' w/l SPI
Acid (6825-52') 2000 gals
Swbd 102 BLW + 9 BFW in 6 hrs 30 min (6825-52')
1-27-69 TD 7796', PBD 7569', SI
Swbd 70 BFW in 5 hrs (6825-52')
5-5-69 TD 7796', PBD 6760', Ppg 1d

Sqzd (6825-52') 50 sx
Perf 6468-80' w/l SPF
Acid (6468-80') 3000 gals
Ppd 64 BLW in 24 hrs (6468-80')
5-12-69 TD 7796', PBD 6760', TO Pmp
Ppd 19 BFW in 5 hrs 30 min (6468-80')
5-19-70 TD 7796', PBD 6760', SI
Ppd 17 BFW in 6 hrs (6468-80')
5-26-69 TD 7796', PBD 6760', SI (final posting until
operations resume)
7-6-70 TD 7796', PBD 3690', COMPLETE
PB to 3690'

LEA

Hamont

NM

Sec 22, T20S, R37E

CONTINENTAL OIL CO.

90 SEM Penn

Page 3

7-6-70

Continued

Perf @ 3521', 3540', 3547', 3570', 3584',
3598', 3605', 3628', 3645', 3660' w/1 SPI

Acid (3521-3660') 1500 gals

Frac (3521-3660') 25,000 gals wtr + 20,000# sd

(QUEEN) FIVE POINT GAUGES:

Flwd 91 MCFGPD thru 3/32" chk., time NR, TP 498#

Flwd 372 MCFGPD thru 3/16" chk., time NR, TP
472#

Flwd 495 MCFGPD thru 7/32" chk., time NR, TP
456#

Flwd 614 MCFGPD thru 1/4" chk., time NR, TP
436#

Flwd 833 MCFGPD thru 5/16" chk., time NR, TP
385#

7-9-70

COMPLETION REPORTED