

Submit 3 Copies
to Appropriate
District Office

State of New Mexico
Energy, Minerals and Natural Resources Department

Form C-103
Revised 1-1-89

DISTRICT I
P.O. Box 1980, Hobbs, NM 88240

DISTRICT II
P.O. Drawer DD, Artesia, NM 88210

DISTRICT III
1000 Rio Brazos Rd., Aztec, NM 87410

OIL CONSERVATION DIVISION
P.O. Box 2088
Santa Fe, New Mexico 87504-2088

WELL API NO.

30-025-22948

5. Indicate Type of Lease

STATE ☐

FEE ☒

6. State Oil & Gas Lease No.

7. Lease Name or Unit Agreement Name

Tommie Jones

8. Well No.

1

9. Pool name or Wildcat

Wantz Abo

SUNDRY NOTICES AND REPORTS ON WELLS
(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL OR TO DEEPEN OR PLUG BACK TO A
DIFFERENT RESERVOIR. USE "APPLICATION FOR PERMIT"
(FORM C-101) FOR SUCH PROPOSALS.)

1. Type of Well:

OIL
WELL ☒

GAS
WELL ☐

OTHER

2. Name of Operator

Dawson Operating Company

3. Address of Operator

P. O. Box 403, Midland, Texas 79702

4. Well Location

Unit Letter I : 1980 Feet From The South Line and 660 Feet From The East Line

Section 25

Township 21S

Range 37E

NMPM

Lea

County

10. Elevation (Show whether DF, RKB, RT, GR, etc.)

3410.9' GL, 3422.9' RKB

11.

Check Appropriate Box to Indicate Nature of Notice, Report, or Other Data

NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK ☐

PLUG AND ABANDON ☒

TEMPORARILY ABANDON ☐

CHANGE PLANS ☐

PULL OR ALTER CASING ☐

OTHER: ☐

SUBSEQUENT REPORT OF:

REMEDIAL WORK ☐

ALTERING CASING ☐

COMMENCE DRILLING OPNS. ☐

PLUG AND ABANDONMENT ☐

CASING TEST AND CEMENT JOB ☐

OTHER: ☐


12. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

MIRUPU. Pull rods, pump & tubing. Run tubing. Fill hole w/10# Brine w/25# gel/bbl. Spot 30 sx plug @ 7150, WOC & tag. Spot 25 sx plug @ 5100. Pull tubing. Run Free Point, cut & pull casing. Run tubing. Spot 25 sx plug @ 1570*. Spot 40 sx plug @ 7" stub (50' in & out). WOC & tag. Spot 50 sx plug @ 970-370 (surface shoe). WOC & tag. Spot 10 sx plug @ surface. Plugging operations will start as soon as OCD approval is received and 24 hour notice is given.

* If casing stub is below 1570 plug #3 will be increased to 40 sx.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNATURE



TITLE

Vice President

DATE 7-6-93

TYPE OR PRINT NAME

Joe R. Dawson

TELEPHONE NO. 915-699-1444

(This space for State Use)

ORIGINAL SIGNED BY JERRY SEXTON

APPROVED BY

DISTRICT I SUPERVISOR

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JUL 09 1993

RECEIVED

JUL 03 1993

1993

Tommie Jones #1

FOR

JOB OR AUTH. NO.

LOCATION 1980' FSL & 660' FEL Unit I

PAGE

SUBJECT Sec. 25, T-21-S, R-37-E

DATE

Comp'd 4/18/69

BY M.L.S.

Current Condition

Elev. 3410.9' GL
3422.9' KBSurf. Csg. 9 5/8" 36# J-55
@ 920' KBM, Cmt'd w/400 SX
Circ'd

13 3/4" Hole

8 3/4" Hole

TO Cmt Est'd @ 2680'
(Base of Salt)Blindbry Perf'd 5898-6046'
w/19 JS & 6084-6126' w/7 JS
Sqr'd w/200 SXBlindbry Perf'd 6273-6372'
w/11 JS - Sqr'd w/200 SXAbo Perf'd 7177-7288' w/12 JS
& 7317-7436' w/17 JS

PBT D: 7440' KBM

TD: 7500' KBM

Prod. Csg. 7" 23 & 26# K-55
@ 7498' KBM, Cmt'd w/650 SX

RECEIVED

JUL 08 1993

**CCD HOBBE
OFFICE**

ENGINEERS CALCULATION SHEET

Tommy Jones #1

FOR

JOB OR AUTH. NO.

LOCATION 1980' FSL & 660' FEL Unit I

PAGE

SUBJECT Sec. 25, T-21-S, R-37-E

DATE

Comp'd 4/18/69

By M. L. S.

Proposed PxA'd Condition

Elev. 3410.9' GL
3422.9' KB

Surf. Csg. 9 5/8" 36# J-55
@ 920' KBM, Cmt'd w/400 SX
Circ'd


40 SX Cmt. Plug across 7" Csg
Stub (50' in & out)

25 SX Cmt. Plug @ 1570' →
(Top of Salt), 40 SX IF above
Csg. Stub

25 SX Cmt. Plug @ 5100' →

30 SX Cmt. Plug @ 7150' →

Prod. Csg. 7" 23 & 26# K-55
@ 7498' KBM, Cmt'd w/650 SX



← 10 SX Cmt Plug
@ Surface

13 3/4" Hole

← 50 SX Cmt. Plug
@ 870-970'

8 3/4" Hole

TO Cmt Est'd @ 2680'
(Base of Salt)

Blincy Perf'd 5898-6046'
w/19 JS & 6084-6126' w/7 JS
Sqr'd w/200 SX

Blincy Perf'd 6273-6372'
w/11 JS - Sqr'd w/200 SX

Abo Perf'd 7177-7288' w/12 JS
& 7317-7436' w/17 JS

PBTD: 7440' KBM

TD: 7500' KBM

RECEIVED

JUL 02 1993

WORLDWIDE
TELEVISION