

LEA
GULF OIL CORP.

Drinkard
18 Mattern, H. T. (NCT-B)
Sec 30, T21S, R37E

NM
Page #2

4-19-76 TD 6805'; PBD 6762'; SI
Frac (6487-6722') 30,000 gals wtr + 45,000# sd
Swbd 88 BLW w/trace oil in 5 hrs (6487-6722')
4-26-76 TD 6805'; PBD 6762'; Swbg
Swbd 35 BO + 145 BLW in 11 hrs (6487-6722')
5-3-76 TD 6805'; PBD 6762'; Prep TOP
5-10-76 TD 6805'; PBD 6762'; WOSP
Ppd 50 BO + 55 BW in 24 hrs (6487-6722')
5-17-76 TD 6805'; PBD 6762'; Complete
LOG RUN: CFD
BHT 108 deg
5-22-76 COMPLETION ISSUED

5-4-10 NM
IC 30-025-70066-76

COUNTY	LEA	FIELD	Blinebry	STATE	NM 30-025-24187
OPR	GULF OIL CORP.			MAP	
	18 Matten, H. T. (NCE-B)				
	Sec 30, T-21-S, R-37-E			CO-ORD	
	510' FSL, 2310' FEL of Sec				
	Spd 7-18-72		CLASS	EL	
	Cmp 8-6-72	FORMATION	DATUM	FORMATION	DATUM
CSG & SX - TUBING					
8 5/8" at 1207' w/300 sx					
5 1/2" at 5761' w/470 sx					
LOGS EL GR RA IND HC A					
		TP 5761'; PBD 5712'			

IP (Blinebry) Perf 5527-5670' F 168 BOPD + 221 BLW. Pot based on 24 hr test thru 20/64" chk. GOR NR; Grav NR; CP 1475#, TP 750#

Distribution limited and publication prohibited by subscribers' agreement.
Reproduction rights reserved by Williams & Lee Scouting Service, Inc.

CONT.	Moran	PROP DEPTH	6000'	TYPE	RT
DATE					

F.R. 7-17-72; Opr's Elev. 3497' GL
PD 6000' RT (Blinebry)
Contractor - Moran

7-24-72 Drlg. 3740' lm
7-31-72 TD 5761'; WOC
8-7-72 TD 5761'; PBD 5712'; Tstg
Perf 5527-29', 5555-57', 5586-88', 5629-31',
5668-70' w/4 SIF
Acid (5527-5670') 250 gals
Frac (5527-5670') 25,000 gals wir + 47,500# sd
Flwd 180 BO + 367 BLW in 24 hrs thru 32/64" chk,
TP 200-350#

LEA
GULF OIL CORP.

Blinebry NM Sec 30, T21S, R37E
18 Mattern, H. T. (NCT-B) Page #2

8-14-72 TD 5761'; PBD 5712'; COMPLETE
LOG TOPS: Anhydrite 1201', Yates 2655', Queen
3410', San Andres 3997', Glorieta 5170', Blinebry
5500'
8-19-72 COMPLETION REPORTED