

Pool BLINEBRY-- ARROWHEAD GRAYBURG Operator ~~Conoco, Inc.~~ Chevron USA Inc.
 Lease Arrowhead Grayburg Ut. ¹⁶⁰
Lockhart B-1 Well No. 7 Unit G S 1 T 22 R 36

DATE OF TEST	Daily Allowable	PRODUCED DURING TEST			Gas-Oil Ratio	Packer Leakage Field
		Water, Bbls.	Oil, Bbls.	Gas, MCF		
2-1-84	24	116	4	13	3364	
2-15-84	24	131	7	15	2143	
2-20-84	24	210	4	2	4800	
2-24-84	24	150	4	15	3583	
2-27-84	24	179	7	22	6081	
2-28-84	24	200	3	14	5000	
Recompleted from Blinebry & Drinkard to Arrowhead GB Effective 3-21-88						
3-12-88	24	680	37	150	4654	
3-27-88	24	280	79	272	3443	
3-28-88	24	540	77	278	3519	
3-12-89	24	397	60	251	4183	
3-6-90	24	602	13	220	16923	
3-8-90	24	594	65	286	1554	
4-9-93	Input	<R-9453>				

Pool BLINEBRYOperator ~~Continental Oil Company~~ Conoco Inc.Lease Lockhart B-1

Well No. _____

Unit GSLT22R

DATE OF TEST	1	Daily Allowable	PRODUCED DURING TEST			Gas-Oil Ratio	Facker Leakage Field
			Water, Bbls.	Oil, Bbls.	Gas, MCF		
4-1-73	24	36	40	3	43	1200	
5-13-73	24	36	21	3	57	1500	
6-20-73	24	48			15	2800	
7-15-74	24	10	70	5	45	3000	
8-15-75	24	5	85	5	40	4444	
3-2-77	24	5	95	5	16	3200	
8-23-77	24	5	77	5	82	5467	
2-28-78	24			3	25	5333	
11-22-78	24	3	2	5	18	3600	
2-7-79	24		2	3	21	7000	
7-16-79	24	3	5	4	95	9800	
7-27-80	24	4	7	4	15	4000	
3-14-81	24	6	61	5	56	3600	
1-15-82	24			3	23	3111	
1-15-83	24						
1-15-83	24						
1-15-83	24		71	4	185	1367	
3-17-83	24		108		32	2000	

Pool DRINKARD

Operator Conoco Inc.

Lease Lockhart B-1

Well No. 7 Unit G S 1 T 22 R 36

[illegible]

Pool DRINKARDOperator Continental Oil Co. Conoco Inc.Lease Lockhart B-1Well No. 7 Unit G S 1 T 22 R 36

DATE OF TEST		Daily Allowable	PRODUCED DURING TEST			Gas-Oil Ratio	Packer Leakage Field
			Water, 3bbls.	Oil, Bbls.	Gas, MCF		
4-1-73	24	-	8	24	602	1372	
4-11-73	24	60	81	44	64	1000	
4-1-74	24	64	21	2	16	2047	
4-20-76	24	15	47	10	45	3214	
3-2-77	24		2813	15	45	3000	
3-2-77	24	14	138	10	29	2900	
8-23-77	24	5	12	10	29	5469	
8-28-77	24	15	14	7	17	1477	
8-3-77	24	15	14	8	22	4000	
11-22-78	24	3	12	7	35	5429	
2-7-79	24	8	19	6	95	9500	
7-16-79	24	3	1	6	56	5600	
8-16-81	24		1	6	56	5600	
9-27-80	24	4	29	8	141	10842	
3-14-81	24	6	29	8	141	10842	
8-1-81	24		1	2	21	3150	
2-15-82	24	11	1	2	21	3150	
1-1-83	24	3	1	2	21	3150	
2-2-84	24	3	1	2	21	3150	
12-3-83	24	-	-	7	188	18607	
3-7-84	24	-	101	7	32	9779	
4-21-84	24	-	1	3	34	3300	