



© Copyrighted Material

IP (Paddock) Perfs 5120-5284 P 108 BOPD + 130 BW. Pot
based on 24 hr test. GOR 1888; gtv 36.8

DATE: 11/11/68 OFFICE: 3424 GL sub-S

F.R.C. 5-15-82 OWWO
 PFD 5335 WO (Paddock)
 (Orig. Mobil Oil Corp., comp 9-11-73 dual
 thru (Paddock) Perfs 5120-5268 & (Berakard)
 Perfs 6355-6488, (TD 6650)
 TD 6650; PBD 5335; Complete
 CIBP 5335
 Perf (Paddock) 5144-52, 5152-5215, 5230-46,
 5256-84
 Acid (5120-5284) 10,000 gals
 COMPLETION ISSUED

9-1-48 NM
10-10-25-70427-82

[illegible]

CLASS		ELEV	CLASS		ELEV
FORMATION	DATUM	FORMATION	DATUM	FORMATION	DATUM
9 5/8" at 1203' w/500 sx					
7" at 6650' w/1325 sx					
TD 6650'			PBD		

IP (Drinkard) Perfis 6355-6488' F 351 MCFGPD. Pot based on
24 hr test thru 24/64" chk. GOR 351,000; Grav 40.6; CP Pkr; TP 520#

CONTR	Leatherwood	OPRS ELEV	3424' GL	PD	6800'	TYPE	RT
-------	-------------	-----------	----------	----	-------	------	----

F.R. 7-16-73
(Drinkard)
7-16-73 TD 1203'; WOC
7-23-73 Drlg 4005' 1m
7-30-73 Drlg 6050' dolo & 1m
8-6-73 TD 6650'; WOC
8-13-73 TD 6650'; Tstg
Perf 6355-6488' w/1 SPF
Acid (6355-6488') 10,000 gals
Flwd 21 BNO + 8 BLW in 10 hrs thru 20/64" chk
8-20-73 TD 6650'; Tstg
Perf 5120-5268' w/1 SPF
Acid (5120-5268') 250 gals
Frac (5120-5268') 25,000 gals + 60,000# sd
Swbd 15 BNO + 43 BLW

LEA
MOBIL OIL CORP.

Drinkard 341 S40 34, T218, R37E
9 Marshall Com 144 42

8-27-73

TD 6650'; SI

TD 6650'; Tstg

Flwd 41 BNO + 41 BLW in 24 hrs 5120-5208'

9-10-73

TD 6650'; Tstg

9-18-73

TD 6650'; Tstg

9-25-73

TD 6650'; COMPLETE

LOG TOPS: Anhydrite 1163', Yates 2515', Queen
3332', San Andres 3837', Gloriana 3944', Elliptical
5537', Tobb 6005', Drinkard 6543'

9-29-73

COMPLETION REPORTED