F	orm	9-331
(	May	1963)

## UNITED STATES DEPARTMEN OF THE INTERIOR

SUBMIT IN TRIPLICATE.
(Other instructions re-

Form approved. Budget Bureau No. 42-R1424.

				OR verse side)	į.	NATION AND SERIAL	L NO.	
GEOLOGICAL SURVEY				NM 0554776				
		ICES AND REA		ON WELLS uck to a different reservoir. mossis.)	6. IF INDIAN, AL	LOTTLE OR TRIBE	NAME	
1. OIL GA	OIL [7] GAB [7]					7. UNIT AGREEMENT NAME		
2. NAME OF OPERAT	OR				8. FARM OR LEA	SE NAME		
Cleary Petroleum Corporation					Federal 17			
3. ADDRESS OF OPER	3. ADDRESS OF OPERATOR				9. WELL NO.			
200 Gihls Tower West, Midland, Texas 79701					1			
	4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.)				10. FIELD AND P	10. FIELD AND POOL, OR WILDCAT		
At surface	•				Red Tank - Morrow			
1980' FS & EL, Section 17 (Unit J), T-22-S, R-32-E NMPM			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA					
					Sec. 17,	T22S, R32E	NMPM	
14. PERMIT NO.		15. ELEVATIONS (Sho	w whether DF,	RT, GR, etc.)	12. COUNTY OR	PARISH 13. STAT	E	
		3680.9 Gr	•		l Lea	N. M	lex.	
16.	Check Ap	propriate Box To	Indicate No	ature of Notice, Report, or	Other Data			
	NOTICE OF INTENTION TO:					QUENT REPORT OF:		
TEST WATER SE	ET-OFF	PULL OR ALTER CASING		WATER SHUT-OFF	REPA	IRING WELL	7	
FRACTURE TREA	r :	MULTIPLE COMPLETE		FRACTURE TREATMENT	ALTE	RING CASING	-	
SHOOT OR ACIDI	ZE	ABANDON*		SHOOTING XXXXXXXXXXX	ABANI	DONMENT*	_	
REPAIR WELL		CHANGE PLANS		(Other)				
(Other)				(Note: Report result Completion or Recom	ts of multiple comp pletion Report and	letion on Well Log form.)		
17. DESCRIBE PROPOS proposed worl	<ol> <li>If well is direction</li> </ol>	RATIONS (Clearly state nally drilled, give sub	e all pertinent osurface locati	details, and give pertinent date ons and measured and true verti	s, including estimat cal depths for all n	ed date of starting arkers and zones	ng any 1 perti-	
12/3/74	Lower Morrov 14,578 - 14	v zone with 1 ,586 (9 holes I to check pr	9/16" t ) 1 shot	Morrow - Guns did ubing gun, 14,568 - /foot, 1/4" holes, 1/2 hour, ran swab	14,572 (5 h 14 holes tot	noles) tal.	ē	
12/5/74	Perforate U	oper Morrow -	Perfora	te from 14,395 - 14	,415 (11 ho	les) Top	n	

12/5/74 Perforate Upper Morrow - Perforate from 14,395 - 14,415 (11 holes) Top of fluid 6600', Pressure increase to 160#. Perforate from 14,373 - 14,394 (15 holes) Pressure increase to 200#, slowly bled down - No recovery of fluid.

18.	I hereby certify that the foregoing is true and corr	ect				
	SIGNED MANY	TITLE	District Engineer	DATE .	6/11/75	
± 10.	(This space for Federal or State office use)					

APPROVED BY \_\_\_\_\_\_CONDITIONS OF APPROVAL, IF ANY:

TITLE

\*See Instructions on Reverse Side

ACCEPTED FOR RECORD

JUN 1 3 1975

U. S. GEOLOGICAL SURVEY HOBBS, NEW MEXICO