

Petroleum Information.

COUNTY LEA FIELD Weir STATE NM
 OPER CONOCO, INC. API 30-025-24918
 NO WS-95 LEASE SEMU Weir Drinkard MAP
Sec 23, T20S, R37E COORD
2130 FSL, 1980 FEL of Sec 7-4-37 NM
4 1/2 mi SE/Monument RESPD 6-3-80 RE_{AMPL} 4-82

SC 13 3/8-415-400 sx 8 5/8-3904-2600 sx 5 1/2-Inr-3794-7754-775 sx	WELL CLASS: INIT UX FIN U LSE CODE			
	FORMATION	DATUM	FORMATION	DATUM
	TD	7755(PSLV)	PBD	7735

(Drinkard) Perfs 6837-6946 WATER SUPPLY WELL

CONTR 3532 DF sub-s

7-19-82

F.R.C. 7-24-82 OWWO
 PD 7735 WO (Drinkard)
 (Orig. Continental Oil Co., #95 SEMU
 Pennsylvanian, cmp 1-28-75 thru (Pennsylvanian)
 Perfs 7682-90, OTD 7755, OPB 7735)
 TD 7755; PBD 7735; Complete
 CO to 7700
 Cmt ret @ 7600
 Sqzd (7682-90) 150 sx
 Perf (Drinkard) 6837-62, 6880-6900, 6913-46
 w/15 shots
 Acid (6837-6946) 1500 gals
 Perf (Drinkard) 6603-24, 6664-91, 6701-50
 w/13 shots
 Acid (6603-6750) 1500 gals
 Frac (6603-6946) 34,650 gals + 50,000 sd
 Ppd 100% wtr (6603-6946) (6-28-80)

7-4-37 NM

LEA
CONOCO, INC.

Weir
WS-95 SEMU Weir
Drinkard
Sec 23, T20S, R37E

NM
Page #2

7-19-82 Continued
 Sqzd (6603-6750) 200 sx
 DOC to 7735
 Ppd 74 BW in 24 hrs (6837-6946)
7-24-82 COMPLETION ISSUED

7-4-37 NM
IC 30-025-70603-82

© Copyrighted Reproduction Prohibited

COUNTY LEA		FIELD Cass		STATE NM	
OPR CONTINENTAL OIL CO.				API 30-025-24918	
NO 95	LEASE SEMU Pennsylvanian			SERIAL 4-4-18 NM	
Sec 23, T-20-S, R-37-E				MAP	
2130' FSL, 1980' FEL of Sec				CO-ORD	
4 mi S & 2 mi E/Monument				ELEV [REDACTED] L&S	
SPD 11-26-74	CMP 1-28-75	WELL CLASS: INIT. D		FIN DO	
13 3/8" at 415' w/400 sx 8 5/8" at 3904' w/2600 sx 5 1/2" lnr 3794-7754' w/775		FORMATION	DATUM	FORMATION	DATUM
		TD 7755' (PSLV)		PBD 7735'	
IP (Pennsylvanian) Perfs 7682-90' P 239 BOPD + 221 BW. Pot based on 24 hr test. GOR 173; Grav 42.3					

CONTR Robinson Bros.	OPR'S ELEV 3532' DF	PD 7700' RT
-----------------------------	----------------------------	--------------------

F.R. 12-2-74
 (Pennsylvanian)
 12-3-74 TD 3602' lm; Trip
 12-10-74 TD 4200'; Fshg
 Attempted to run 8 5/8" csg & csg parted
 12-16-74 TD 4200'; Milling
 12-27-74 Drlg 7358' lm
 1-13-75 TD 7755'; WOCU
 1-20-75 TD 7755'; PBD 7735'; Prep Perf
 1-28-75 TD 7755'; PBD 7735'; Swbg
 Perf 7682-90' w/2 SPF
 Attempted to acid, unable to break

4-4-18 NM

LEA
CONTINENTAL OIL CO.

Cass
95 SEMU Pennsylvanian
Sec 23, T20S, R37E

NM
Page #2

1-28-75

Continued

Perf 7682-90' w/2 SPF

Acid (7682-90') 650 gals

2-4-75

TD 7755'; PBD 7735'; Swbg

Swbd 225 BO in 7 hrs (7682-90')

2-18-75

TD 7755'; PBD 7735'; WO Pmp

2-24-75

TD 7755'; PBD 7735'; Prep TO Pmp

3-3-75

TD 7755'; PBD 7735'; TO Pmp

Ppd 220 BO + 216 BW in 24 hrs (7682-90')

3-11-75

TD 7755'; PBD 7735'; WO OCC Pot

Ppd 196 BO + 264 BW in 24 hrs, GOR 173;

Grav 42.3

4-4-18 NM

4-21-75

TD 7755'; PBD 7735'; Complete

LOG TOPS: Yates 2644', Grayburg 3700',

Glorieta 5173', Blinbry 5792', Tubb

6311', Drinkard 6625', Abo 6953',

Pennsylvanian 7662'

4-26-75

COMPLETION ISSUED

4-4-18 NM