



© Copyright 2000 Waterbury Press, Inc.

F.R.C. 5-29-82 0430
PD 6500 WD
(Orig. Cmp 3-16-76 thru (Drinkard) Perfs
6438-63; OID 6534; OPE 6522)
5-24-82 TD 6534; PRD 6522; Complete
CO to 6522
Acid (6438-63) 2000 gals (20% NF 10)
Flwd 59 MCFFD in 90 hrs thru 22/44 chk, TP 70
(6438-63)
Perf (Drinkard) 6420-22 w/7 SPF
Acid (6420-22) 1000 gals (20% NF 10)
Swbd 50 BW w/tr oil in 16 runs (6420-22)
Frac (6420-22) 10,000 gals + 10,525# sd
5-29-82 COMPLETION TSSUPD 5-5-88 NM
IC 30-025-70448-82

COUNTY: LEA	FIELD: Drinkard	STATE: NM	API: 30-025-25224
OPR: GULF OIL CORP.	LEASE: Central Drinkard Unit	DEMA: 2-2-21	NM
NO: 413	Sec 29, T21S, R37E	WAF:	
	910' ENL, 185' W ENL of Sec	CO-ORD:	
	1/4 mi N/Eunice	ELEV:	9.8
SPD: 2-15-76	CMP: 3-15-76	WELL CLASS: D	NG
CSG:			

8 5/8" at 1250' w/550 ax
5 1/2" at 6533' w/800 ax

WELL CLASS:		INT	D	NG
FORMATION		DATUM	FORMATION	DATUM
TB6534 ^B	(DRKD)	200	6522 ^B	

TP (Drinkard), Potts 6438-63; F 333 MGECPD + 6 R Good + 15 BLW.
Pot based on 24 hr test thru 1/4" chk. GOR BR; Jay (Good) 39.3;
TP 325#

CONTR Hillin OPR'S ELEV 3472⁰ 61.9 3484⁰ 66.2 3540⁰ 75.1

F.R. 1-26-76
(Drinkard)
2-16-76 Drlg 100'
2-23-76 Drlg 3468' lm
3-1-76 Drlg 6229' lm
Lost Circ @ 4532'
3-8-76 TD 6534'; WOCU
3-15-76 TD 6534'; PRD 6522'; SI Frac
Perf (Drinkard) @ 6438', 6463' w/4 SFI
Acid (6438-63') 1200 gals
Frac (6438-63') 20,000 gals + 30,000# sd
3-22-76 TD 6534'; PRD 6522'; WO Pot
Flwd 333 MCFGPD + 6 BO + 15 BLW in 24 hr ; 325# (6438-63')

4-2-21 NM

IEA
GULF OIL CORP.

Drinkard
413 Central Drinkard Unit
Sec 29, T21S, R37E

NM
Page #2

ED 6534'; PBD 6522'; Complete
LOG TOPS: Anhydrite 1208', Yates 3676',
Seven Rivers 2849', Queen 3358', Grayburg
3645', San Andres 3869', Glorieta 5089',
Blinabry 5479', Tubb 6090', Drinkard 6422'
COMPLETION ISSUED

-10-76

4-2-21 NM
IC 30-025-70027-70