

UNITED STATES DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

LEASE

LC-031695(3)

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NMFU

8. FARM OR LEASE NAME

WARREN UNIT

9. WELL NO.

41

10. FIELD OR WILDCAT NAME

BLINEBRY / TUBB

11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA

SEC. 27, T20S, R38E

12. COUNTY OR PARISH

LEA

13. STATE

NM

14. API NO.

15. ELEVATIONS (SHOW DF, KDB, AND WD)

SUNDRY NOTICES AND REPORTS ON WELLS

(Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9-331-C for such proposals.)

1. oil well ☒ gas well ☐ other ☐

2. NAME OF OPERATOR

CONOCO INC.

3. ADDRESS OF OPERATOR

P. O. Box 460, Hobbs, N.M. 88240

4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)

AT SURFACE: 660' FSL + 1980' FWL

AT TOP PROD. INTERVAL:

AT TOTAL DEPTH:

16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

REQUEST FOR APPROVAL TO:

SUBSEQUENT REPORT OF:

TEST WATER SHUT-OFF ☐

FRACTURE TREAT ☐

SHOOT OR ACIDIZE ☐

REPAIR WELL ☐

PULL OR ALTER CASING ☐

MULTIPLE COMPLETE ☐

CHANGE ZONES ☐

ABANDON* ☐

(other) OPEN ADD'L PAY ☒

(NOTE: Report results of multiple completion or zone change on Form 9-330.)

17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

MIRU 4/4/84. PERF w/ 2 JSPF @ 6530', 33', 36', 38', 50', 52', 55', 58', 62', 81', 93', 96', 6601', 08', 14', 16', 21', 23', 42', + 6645'. ACIDIZED w/ 95 BBLs 15% HCL-NE-FE, 40 LBS ROCKSALT + 40 LBS BENZOIC ACID FLAKES IN GELLED BRINE. SWBD. SET RBP @ 6190'. SPOTTED 9 BBLs 15% HCL-NE-FE 5955'-6175'.

(ATTACHMENT)

Subsurface Safety Valve: Manu. and Type

Set @ _____ Ft.

18. I hereby certify that the foregoing is true and correct

SIGNED

W. A. Butterfield

TITLE Administrative Supervisor

DATE

6/12/84

ACCEPTED FOR RECORD

(This space for Federal or State office use)

APPROVED BY

TITLE

DATE

CONDITIONS OF APPROVAL, IF ANY:

JUN 15 1984

Pauley

RECEIVED
JUN 18 1984
C.C.D.
HOBBS OFFICE

WARREN UNIT #41

PERF W/1 JSPF @ 5983', 92', 97', 6004', 08', 13', 18', 25', 6123', 28', 38', 43', 52', 56', 61', & 6165'. SET PKR @ 5965'. ACIDIZED W/32 BBLs 15% HCL-NE-FE. RESET PKR @ 5735'. FRAC'D BLINERY 5834'-6165' W/830 BBLs GELLED TFW & 67,500 LBS 20/40 SAND. REL PKR. CO TO 6190'. SWBD. REL RBP. RAN BLINERY & TUBS PRODUCTION EQUIPMENT. TUBS FLOWED 56 BO, 0 BW, & 1618 MCF IN 24 HRS 4/27/84. BLINERY PUMPED 33 BO, 2 BW, & 133 MCF IN 24 HRS 5/13/84.

RECEIVED
JUN 18 1984
O.C.D.
MOBBS OFFICE