

WRS COMPLETION REPORT

COMPLETIONS

PI# 30-T-0017 03/20/89

SEC 35 TWP 21S RGE 37E
30-025-25479-0001

PAGE 1

NMEX

STATE

LEA

COUNTY

* 1830FSL

710FEL SEC

NE SE

SPOT

D X DO

OXY USA

OPERATOR

8

WELL NO.

3370GR

OPER ELEV

OWEN

LEASE NAME

WELL CLASS INIT FIN

TUBB

FIELD POOL AREA

API 30-025-25479-0001

PERMIT OR WELL ID NO.

OIL-WO

STATUS

07/28/1988

SPUD DATE

02/10/1989

COMP. DATE

WO-UNIT

TYPE TOOL

6260

PROJ. DEPTH

DTD 7825

DRILLERS T.D.

PROJ. FORM

LOG T.D.

NOT RPTD

CONTRACTOR

PB 6260 OTD

PLUG BACK TD

OLD T.D.

FORM T.D.

7825 FM/TD GR WSH

LOCATION DESCRIPTION

3/4 MI E EUNICE, NM

INITIAL POTENTIAL

IPF 11BOPD

TUBB

DRINKARD PERF

PERF 6120, 6124, 6131, 6136, 6145, 6153, 6160, 6178

PERF 6193, 6196, 6207, 6219, 6228, 6235, 6251

PERFED W/60 TOTAL SHOTS

COMMINGLED

500 MCFD

4BW

W/ 4/FT

W/ 4/FT

64/64CK 24HRS

6120- 6207 GROSS

6219- 6251 GROSS

6153, 6160, 6178

6235, 6251

GTY, GOR-NO DETAIL

PRODUCTION TEST DATA

ABO

PERF 6709- 7301

BRPG @ 6260

PERF

6709- 7301

6709- 7301

6709- 7301

DRILLING PROGRESS DETAILS

OXY USA

BOX 50250

MIDLAND, TX 79710

915-685-5717

OWWO: OLD INFO:

#8 OWEN "A" ELEV 3370 GR, 3382 KE. SPUD

4/28/77. 13 3/8 @ 30 W/3 YDS, 9 5/8 @ 1119

W/550 SX, 7 @ 7825 W/1650 SX. LOG TOPS:

CONTINUED IC# 300257007989

Petroleum Information

CB a company of The Dun & Bradstreet Corporation

Copyrighted 1989
Petroleum
Information Corporation

PI-WRS-GE
Form No 18

COMPLETIONS
PI# 30-T-0017 03/20/89 SEC 35 TWP 21S RGE 37E
30-025-25479-0001 PAGE 2


D X DO

OXY USA
8

OWEN

DRILLING PROGRESS DETAILS

03/16 DRINKARD 6211, ABO 6604, GRANITE WASH 7420.
03/16 OTD 7825. COMP 4/27/77. IPF 24 BO, 72 BWP.
PROD ZONE: ABO 6709-7301.
LOC/1989/
7825 TD. PB 6260
COMP 2/10/89, IPF 11 BO, 500 MCFG, 4 BWP,
64/64 CK, GOR (NR), GTY (NR)
PROD ZONE - TUBB-DRINKARD 6120-6251
(COMMINGLED)
FIRST REPORT & COMPLETION



CORPORATION
 Div. of A. C. Nielsen Company

© Copyrighted Reproduction Prohibited

CST.		WELL CLASS:	INIT	D	PIN	DO	FLEV	L & C
13 3/8" at 30' - 3 yds		FORMATION		DATUM		FORMATION		DATUM
9 5/8" at 1119' w/550 sx								
7" at 7825' w/1650 sx								
		ID	7825' (GRWS)			PBD		

IP (Abo) Perfs 6709-7301' F 24 BOPD + 72 BW. Pot based on 24 hr test thru 3/4" chk. GOR 25,517; gty 39.7; CP Pkr; TP 7C.

CONTR OPRS ELEV 3370' GL, 3382' KBPD 7500' RT

F.R. 3-21-77
(Granite Wash)
5-3-77 Drlg 2555'
5-10-77 Drlg 5420'
5-17-77 Drlg 7227'
5-23-77 TD 7825'; Fshg
5-31-77 TD 7825'; WOCU
6-7-77 TD 7825'; WOCU
6-14-77 TD 7825'; Tstg
Perf (Granite Wash) 7424-7810', w/56 shots (overall)
Swbd 49 BLW in 7 hrs (7424-7810')
Acid (7424-7810') 4000 gals
6-21-77 TD 7825'; Recg Ld
Frac (7424-7810') 20,000 gals + 25,000# sd
Swbd dry (7424-7810')
7-12-77 TD 7825'; Swbg
Sqzd 7424-7810' 8-3-17 NM
Perf (Abo) 6709-7301' w/60 shots (overall)

LEA
CITIES SERVICE OIL CO.

Wantz
8 Owen "A"
Sec 35, T21S, R37E

NM
Page #2

7-10-77 TD 7825'; Tstg
Acid (6709-7301') 3000 gals
Acid (6709-7301') 7000 gals
Frac (6709-7301') 14,000 gals + 21,000# sd
7-26-77 TD 7825'; Tstg
Flwd 9 BO + 22 BLW in 8 hrs thru 3/4" chk
(6709-7301')
2-77 TD 7825'; WOSP
Flwd 24 BO + 72 BLW in 24 hrs thru 3/4" chk
(6709-7301')
8-15-77 TD 7825'; Complete
LOG TOPS: Rustler Anhydrite 1196', Yates 2530',
Queen 3357', Grayburg 3524', San Andres 3891',
8-3-17 NM

8-15-77 Continued
Glorieta 5100', Blinebry 5448', Tubb 6075',
Drinkard 6211', Abo 6604', Granite Wash 7420'
LOGS RUN: CNL, FDC, BHC, DILL
BHT 106 deg
8-20-77 COMPLETION ISSUED

8-3-17 NM
IC 30-025-70058-77