DEPARTMENT THE INTERIOR (Other Indirections of S. Lease Designation and Serial N GEOLOGICAL SURVEY 5. Lease Designation and Serial N NM-26392	Form 9-331	UNITED STATES	S SUBMIT IN TRIPL	Form approved. Budget Bureau No. 42-R1424.
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for preparable to drill or to deepen or plus back to a different reservoir. Comparison Comparison	(May 1963)	(1) ther instructions or		5. LEASE DESIGNATION AND SERIAL NO.
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for promoscula to drill or to deepen or plut back to a different reservoir. I. OTHER SECTION FOR FERMIT—" for such proposals.) 7. UNIT AGREEMENT NAME TOTAL WELL OTHER 7. UNIT AGREEMENT NAME TOTAL OTHER 7. UNIT AGREEMENT NAME Reed Federal 8. FARM OR LEASE NAME Reed Federal 9. WELL NO. 1700 One Main Place – Dallas, Texas 75250 10. FIELD AND FOOL, OR WILDCAT Bee also space 17 below.) 11. ELECATIONS (Show whether DF, RT, OR, etc.) 12. COUNTY OR FAMINI NO. 13. ELECATIONS (Show whether DF, RT, OR, etc.) 14. FERMIT NO. 15. ELECATIONS (Show whether DF, RT, OR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERTION TO: SUBSEQUENT REPORT OF: WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE SEPAIR WELL (Other) 17. DESCRIPE PROPOSED OR COMPLETED OFFRACTIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work, If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per proposed work. If well is directionally drilled, give su	= 			NM-26392
(Do not use this form for proposals to drill or to deepen or plut back to a different reservoir. 1		6. IF INDIAN, ALLOTTEE OR TRIBE NAME		
T. UNIT AGREEMENT NAME TOTHER 2. NAME OF OPERATOR TRASS Pacific Oil Company, Inc. 3. ADDRESS OF OPERATOR 1.700 One Main Place - Dallas, Texas 75250 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) 10. FIELD AND POOL, OR WILDCAT Wildcat 11. SEC. T. R. M., OR BLK. AND Sec 4, T-22-S, R-33 14. FERMIT NO. 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REFORT OF: THEN WATER SHUT-OFF FULL OR ALTER CASINO MIULTIPLE COMPLETE ABANDON* SHOOTING OR ACIDIZE ABANDON* SHOOTING OR ACIDIZE ABANDON* SHOOTING OR ACIDIZE ABANDON* CHANGE PLANS (Other) Casing & Cementing (Other) Ca				
Z. NAME OF OPERATOR Texas Pacific Oil Company, Inc. 2. Address of Operators 1700 One Main Place - Dallas, Texas 75250 1. Location of well (Report location clearly and in accordance with any State requirements.* 10. Field and Fool, or wildcat wildcat autrace Wildcat 11. Sec. 7, R., M., OR BLK. AND SONTE OR AREA Unit L, 2310 FSL & 800 FWL 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: THAT WATER SHUT-OFF FULL OR ALTER CASING MULLIPLE COMPLETE FRACTURE TREAT SHOOT OR ACIDIZE ABANDON' SHOOTING OR ACIDIZE COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.)* (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206'. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.				7. UNIT AGREEMENT NAME
Texas Pacific Oil Company, Inc. 2. ADDRESS OF OFERATOR Texas Pacific Oil Company, Inc. 2. ADDRESS OF OFERATOR TOO One Main Place - Dallas, Texas 75250 4. Eaction of well (Ricport location clearly and in accordance with any State requisements.* See also space 17 below.) At surface Unit L, 2310 FSL & 800 FWL Unit L, 2310 FSL & 800 FWL Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data Notice of intention to: Test water shut-off Multiple complete Shooting or activize Texat Multiple complete Shooting or activize Texat Shoot or activize Change Plans Completion Recompletion Report and Log form.) To execusive recompletion Report results of multiple completion Report and Log form.) To execusive recompletion Report results of multiple completion Report and Log form.) To execusive recompletion Report results of multiple completion Report and Log form.) To execusive recompletion Report results of multiple completion Report and Log form.) To execusive recompletion Report results of multiple completion Report and Log form.) To execusive recompletion Report results of multiple completion Report and Log form.) To execusive recomplet		·		
2. ADDRESS OF OPERATOR 1700 One Main Place - Dallas, Texas 75250 1. Likeport location clearly and in accordance with any State requirements.* See also space 17 below.) At surface Unit L, 2310 FSL & 800 FWL Unit L, 2310 FSL & 800 FWL 16. Elevations (Show whether DF, RY, GR, etc.) 17. December Treat Bioot or actorize Bepair Well or Alter Casino Multiple complete Box To Indicate Nature of Notice, Report, or Other Data Notice of Intention to: Water Shut-off Fracture treat Bioot or actorize Bepair well CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS CHANGE PLANS COther) COther) Conscience recorded on conflete Deparations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per near to this work.) Water Shut-off Complete Proposed work off well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per near to this work.) Complete Comple		8. FARM OR LEASE NAME		
2. ADDRESS OF OFRATOR 1700 One Main Place - Dallas, Texas 75250 4. Location of well (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface Unit L, 2310 FSL & 800 FWL 16. Elevations (Show whether DF, RT, CR, etc.) 17. PERMIT NO. 18. ELEVATIONS (Show whether DF, RT, CR, etc.) 18. ELEVATIONS (Show whether DF, RT, CR, etc.) 19. WELL NO. Wildcat 11. SEC., T., R., M., OR ELEX. AND SURVEY OR AREA Sec 4, T-22-S, R-33 14. PERMIT NO. 15. ELEVATIONS (Show whether DF, RT, CR, etc.) 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: SUBSEQUENT REPORT OF: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACCIDING (Other) Casing & Cementing (Other) Casing & Cementing (Other) Casing & Cementing (Other) Casing & Cementing (Other) Congress Fractories and Log Grown (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and measured and true vertical depths for all markers and zones per gent to this work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206'. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% Cacl ₂ . Plug down at 2:00 PM.	Texas Pacif	Reed Federal		
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface Unit L, 2310¹ FSL & 800¹ FWL 16. SLEVATIONS (Show whether DF, RY, GR, etc.) 17. PERMIT NO. 18. SLEVATIONS (Show whether DF, RY, GR, etc.) 19. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIRING WELL CHANGE PLANS (Other) COMPLETE OF PRACTURE TREATMENT SHOOT OR ACIDIZE REPAIR WELL (Other) COMPLETE OF PRACTURE TREATMENT (Other) COMPLETE OF PRACTURE TREATMENT SHOOTING OR ACIDIZING ABANDONMENT* (Other) COMPLETE OF REPORT OF REPORT OF REPAIRING WELL (Other) COMPLETE TREATMENT SHOOTING OR ACIDIZING ABANDONMENT* (Other) COMPLETE TREATMENT SHOOTING OR ACIDIZING ABANDONMENT* (Other) COMPLETE TREATMENT ALTERING CASING ABANDONMENT* (Other) COMPLETE TREATMENT ALTERING CASING ABANDONMENT* ABANDONMENT* (Other) COMPLETE TREATMENT ALTERING CASING ABANDONMENT* ABANDONMENT* ABANDONMENT* ABANDONMENT* (Other) COMPLETE TREATMENT ALTERING CASING ABANDONMENT* ATTERING CASING ABANDONMENT* ABANDONMENT* ATTERING CASING ABANDONME				9. WELL NO.
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.* See also space 17 below.) At surface Unit L, 2310 FSL & 800 FWL 16. ELEVATIONS (Show whether DF, RT, GR, etc.) 17. PERMIT NO. 16. ELEVATIONS (Show whether DF, RT, GR, etc.) 17. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTERTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE ABANDON* CHANGE PLANS (Other) CONFILETE ABANDON (Other) CONFILETE OF PRACTURE TREIST OF SHOOTING OR ACIDIZING ABANDONMENT* (Other) COMPLETED APPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones present to this work.) (7-12-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206 Cemented with 600 sx Class "C" + 2% CaCl2. Plug down at 2:00 PM.	. 1700 One Ma	1		
Unit L, 2310' FSL & 800' FWL 14. PERNIT NO. 15. ELEVATIONS (Show whether DP, NT, GR, etc.) 16. 17. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE ABANDON' CHANGE PLANS CHANGE PLANS (Other) 17. DESCRIBE PROFOSED OR COMPLETED OFERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones perented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	4. LOCATION OF WEL	10. FIELD AND POOL, OR WILDCAT		
16. ELEVATIONS (Show whether DF, RT, GR, etc.) 12. COUNTY OR PARISH 13. STATE 3664 GR 16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE BADADON* CHANGE PLANS (Other) (Other) CASING & Cementing (Note: Report results of multiple completion on Well Completion or Recompletion or Recompletion or Recompletion or Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per next to this work.)* (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206 . (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206 . Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	At surface			11. SEC., T., R., M., OR BLK. AND SURVEY OR AREA
16. Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE BEPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OFERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.)* 17. DESCRIBE PROPOSED OR COMPLETED OFERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.)* (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206'. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.			whether DF, RT, CR, etc.)	
Check Appropriate Box To Indicate Nature of Notice, Report, or Other Data NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FULL OR ALTER CASINO MULTIPLE COMPLETE SHOOT OR ACIDIZE BEPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.)* (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206". (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206". Cemented with 600 sx Class "C" + 2% CaCl2. Plug down at 2:00 PM.	23, 200			Too N M
NOTICE OF INTENTION TO: TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE BEPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per near to this work.)* (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206". (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206". Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.		· · · · · · · · · · · · · · · · · · ·		
TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE BEPAIR WELL (Other) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206'. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	16.	Check Appropriate Box To Inc	dicate Nature of Notice, Report, or (Other Data
FRACTURE TREAT BHOOT OR ACIDIZE BEPAIR WELL (Other) CHANGE PLANS (Other) CHANGE PLANS (Other) COMPLETE OF ENATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones penent to this work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206'. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.		NOTICE OF INTENTION TO:	SUBSEC	QUENT REPORT OF:
SHOOT OR ACIDIZE BEPAIR WELL (Other) Change Plans (Other) Completion or Recompletion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206". (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206". Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	TEST WATER SH	UT-OFF PULL OR ALTER CASING	WATER SHUT-OFF	REPAIRING WELL .
(Other) CHANGE PLANS (Other) Change Plans (Other) Completion or Recompletion on Well (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206". (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206". Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.				ALTERING CASING
(Other) (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form.) 17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones penent to this work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	SHOOT OR ACIDIZ	E ABANDON*	SHOOTING OR ACIDIZING	ABANDON MENT*
(Other) Completion or Recompletion Report and Log form.) To describe proposed or completed operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.) (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206". (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206". Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	BEPAIR WELL	CHANGE PLANS	(Other) _Casing & C	Cementing XX
proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones per nent to this work.)* (7-12-77) Spudded 12-1/4" hole at 3:15 PM. Drilled to 1206. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	(Other)		(Note: Report result Completion or Recom	ts of multiple completion on Well pletion Report and Log form.)
Drilled to 1206'. (7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	proposed work	. If well is directionally drilled, give subsu	ll pertinent details, and give pertinent dates rface locations and measured and true vertices.	s, including estimated date of starting and cal depths for all markers and zones perti
(7-14-77) Ran 38 joints 8-5/8" J-55 24# ST&C 8R casing. Set at 1206'. Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.	(7-12-77)	Spudded 12-1/4" hole at 3	3:15 PM.	
Cemented with 600 sx Class "C" + 2% CaCl ₂ . Plug down at 2:00 PM.		Drilled to 1206'.		
	(7-14-77)	Cemented with 600 sx Clas	ss "C" + 2% CaCl ₂ . Plug do	own at 2:00 PM.
		,		
	•			
	•			
				•

TITLE Drlg. Admin. Clerk (This space for Federal or State office use) TITLE . U. S. GEOLOGICAL SURVEY HOBBS, NEW MEXICO *See Instructions on Reverse Side