SANTA FE, NEW MEXICO

APPLICATION FOR MULTIPLE COMPLETION

Operator	Continental Oil Cor	npany	County Lea	County Lea Date 8-1-7	
Address P. O. Box 460, Hobbs, New Mexico 88240			O Lease Warren U	Well No. 49	
Location	Unit	Section 26	Township 20-S	Range	38-E
or Well	ne New Mexico Oil Conserva	ation Commission heretofore	authorized the multiple co	ompletion of a well	in these same pools or in the
same: 2. If answ	zones within one mile of the	subject well? YES X instance: Order No. MC-2	NO		
3. The following facts are submitted:		Upper Zone	Intern Zo	nediate one	Lower Zone
a. Name of Pool and Formation		Blinebry Oil & G	as		Warren Tubb
b. Top and Bottom of					
Pay Section (Perforations)		5885-6075			6550–6700
	oe of production (Oil or Gas)	Oil			Oil
	hod of Production				
(Flowing or Artificial Lift)	Artificial Lift			Artificial Lift
5. List al Llan Korn	thereon. (If such log is all offset operators to the lead to, Inc., Broadmoor negay, 101 Eagle Dr	ell or other acceptable log win not available at the time appl se on which this well is locat Bldg., Hobbs, New M ive, Hobbs, New Mexi Box 670, Hobbs, New	ication is filed, it shall be ted together with their confexico 88240	be submitted as pro	
** W	Jill Follow				
NMOC	CC - Santa Fe (2)	NMOCC - Hobbs (2) F	'ile		
of such	notification 8-1-78	above notified and furnished $rac{1}{2}$	•		If answer is yes, give date
	(co		zed by said company to n	nake this report; and	that this report was prepared
		operators not accompany an		Signatur ntive approval, the l	

after said twenty-day period, no protest nor request for hearing is received by the Santa Fe office, the application will then be processed.

NOTE: If the proposed multiple completion will result in an unorthodox well location and/or a non-standard proration unit in either or both of the producing zones, then separate application for approval of the same should be filed simultaneously with this application.

WARREN UNIT, WELL NO. 49 PROPOSED COMPLETION EQUIPMENT 1980'FSL & 1930'FEL SEC 26 T-205, R-38 E

7", 26" 1/4 K-55 csg. @ 7070' WI 1425 SX.

1. 1 JT. 238 BUTTRESS TEG O.E. 2. Tues S.N. - BUTTRESS X, 23 BUTTRESS TEG. 3. X-OUER 23"BUTT. X EUE 8 . VENT HEAD ASSY. 5. PKR OTIS "W3" @ 6300' 95/8", 36.0 # | Ft CS4@ 1600' X-OUER 23" BUTT. X EUE 8r 15 X2 238" BUTTRESS TBG. W/ 630 St. X-OVER 238"BUTT X EUES TRIPLE STRING ANCHOR 9. X-OVER 238" BUTT X EUEBO 10. 23 BUTTRESS TEG. 11. X-OVER 2%"BUTT. x EUESA BLINEBRY PERFS J- LATCH ASSY. 13. X-OVER 23/8 BUTT. X EUE 8. 14. BLINEBRY S.N. - SUTTRESS 15. 238" BUTTRESS TBG. 16. X-OUE 278"BUTT. X ELLE 8 M STINGER COLLET 14" 10rd IJ TBG. 19. X-OUER IONDIJ 15"x 10ndEl NOTE*: TO BE LOCATED BELOW BOILDM BLINEBRY PERFS. TUBB PERFS

LPS 8-1-78 T.D .- 70701

