

NEW MEXICO OIL CONSERVATION COMMISSION
WELL LOCATION AND ACREAGE DEDICATION PLAT

Form 1-1-77
Sup. Order 6-128
Effective 1-1-78

All distances must be from the outer boundaries of the Section

Doyle Hartman

Gulf Greer

1

L 21 22 South 36 East Leo

1980 feet from the South line and 990 feet from the West line


3536.3 Acres Yates-Seven Rivers Jalmat 160 Acres

1. Outline the acreage dedicated to the subject well by colored pencil or hatchure marks on the plat below.
2. If more than one lease is dedicated to the well, outline each and identify the ownership thereof (both as to working interest and royalty).
3. If more than one lease of different ownership is dedicated to the well, have the interests of all owners been consolidated by communitization, unitization, force-pooling, etc?

☐ Yes ☐ No If answer is "yes," type of consolidation _____

If answer is "no," list the owners and tract descriptions which have actually been consolidated. (Use reverse side of this form if necessary.) _____

No allowable will be assigned to the well until all interests have been consolidated by communitization, unitization, forced-pooling, or otherwise) or until a non-standard unit, eliminating such interests, has been approved by the Commission.



CERTIFICATION

I hereby certify that the information contained here is true and complete to the best of my knowledge and belief.

Doyle Hartman

Doyle Hartman

Operator - Part Owner

Individual

3-7-78

I hereby certify that the well location shown on this plat was plotted from field notes of actual surveys made by me or under my supervision, and that the same is true and correct to the best of my knowledge and belief.

Date Surveyed:

March 2, 1978

Registered Professional Engineer
Geological and Surveying

John W. West

Certificate No. John W. West

676

Ronald J. Eidson

3239

RECEIVED

MAR 8 1978

OIL CONSERVATION COMM.
HOBBS, N. M.

F.R. 3-13-78
(Seven Rivers)
4-5-78 Drlg 2485'
4-18-78 TD 3651'; Swbg
Perf (Yates-Seven Rivers) 3286-3585' w/19 shots
(overall)
Acid (3286-3585') 5200 gals (15%)
4-25-78 TD 3651'; Tstg
5-2-78 TD 3651'; Flwg
Sqzd 3286-3419'
6-5-78 TD 3651'; PBD 3623'; Complete
Perf (Seven Rivers) 3479-3585')
Acid (3479-3585') 8000 gals
Frac (3479-3585') 40,000 gals + 80,000# sd
LOG TOPS: Rustler Anhydrite 1335', Salt 1530',
Base Salt 2950', Yates 3110', Seven Rivers 3303'
6-10-78 COMPLETION ISSUED 6-2-13 NM
IC 30-025-70098-78