

COPY TO O. C. C.
UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other In-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

5. LEASE DESIGNATION AND SERIAL NO.

LC-031670 B

6. IF INDIAN, ALLOTTEE OR TRIBE NAME

7. UNIT AGREEMENT NAME

NMFU

8. FARM OR LEASE NAME

WARREN UNIT

9. WELL NO.

68

10. FIELD AND POOL, OR WILDCAT

BLINEBRY / FUBB

11. SEC., T., R., M., OR BLOCK AND SURVEY
OR AREA

SEC. 27, T-20S, R-38E

12. COUNTY OR
PARISH

LEA

13. STATE

N.M.

19. ELEV. CASINGHEAD

WELL COMPLETION OR RECOMPLETION REPORT AND LOG*

1a. TYPE OF WELL: OIL WELL ☒ GAS WELL ☐ DRY ☐ Other ☐b. TYPE OF COMPLETION: NEW WELL ☒ WORK OVER ☐ DEEP-EN ☐ PLUG BACK ☐ DIFF. RESVR. ☐ Other ☐

2. NAME OF OPERATOR

CONOCO INC.

3. ADDRESS OF OPERATOR

P.O. BOX 460, HOBBS, N.M. 88240

4. LOCATION OF WELL (Report location clearly and in accordance with any State regulations)

At surface

660' FNL & 660' FEL

At top prod. interval reported below

At total depth

Same

14. PERMIT NO.

DATE ISSUED

15. DATE SPUDDED

2-9-80

16. DATE T.D. REACHED

2-29-80

17. DATE COMPL. (Ready to prod.)

4-16-80

18. ELEVATIONS (DF, RKB, RT, GB, ETC.)*

3551' GR

20. TOTAL DEPTH, MD & TVD

6850'

21. PLUG BACK T.D., MD & TVD

6798'

22. IF MULTIPLE COMPL.,
HOW MANY*

dual

23. INTERVALS
DRILLED BY

ROTARY TOOLS

ALL

CABLE TOOLS

NONE

24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)*

6020'-6233' BLINEBRY OIL & GAS

25. WAS DIRECTIONAL
SURVEY MADE

YES

26. TYPE ELECTRIC AND OTHER LOGS RUN

Caliper, compensated density, CNL, GR, DLL

27. WAS WELL CORED

NO

28. CASING RECORD (Report all strings set in well)

CASINO SIZE	WEIGHT, LB./FT.	DEPTH SET (MD)	HOLE SIZE	CEMENTING RECORD	AMOUNT PULLED
95/8"	36 ²	1600'	12 1/4"	600 SK.	50 SK.
7"	26 ⁵	6850'	8 3/4"	2087 SK.	185 SK.

29. LINER RECORD

SIZE	TOP (MD)	BOTTOM (MD)	SACKS CEMENT*	SCREEN (MD)	SIZE	DEPTH SET (MD)	PACKER SET (MD)
					2 3/8" ✓	6255' ✓	6440' KB ✓

31. PERFORATION RECORD (Interval, size and number)

6021', 6028', 6041', 6045', 6048', 6056', 6072', 6106',
6108', 6114', 6120', 6122', 6193', 6197', 6204', 6203',
6208', 6213', 6220', 6227', 6232' w/ 1 JSF

32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.

DEPTH INTERVAL (MD)	AMOUNT AND KIND OF MATERIAL USED
6021'-6232'	100 bbls. TFW; 24,900 gal. gelled fluid, 25,500 gal. 628% HCl-NE-FE

33.*

PRODUCTION

35.

DATE FIRST PRODUCTION	PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump)					WELL STATUS (Producing or shut-in)	
4-17-80 ✓	PUMPING					Producing	
DATE OF TEST	HOURS TESTED	CHOKE SIZE	PROD'N. FOR TEST PERIOD	OIL—BBL.	GAS—MCF.	WATER—BBL.	GAS-OIL RATIO
5-2-80	24	—	→	45	38	36	844
FLOW. TUBING PRESS.	CASING PRESSURE	CALCULATED 24-HOUR RATE	OIL—BBL.	GAS—MCF.	WATER—BBL.	OIL GRAVITY-API (CORR.)	
	100	→	45	38	36	40°	

34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.)

Sold

35. LIST OF ATTACHMENTS

36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records

SIGNED

W. A. P. [Signature]

TITLE

Admin. Supervisor

DATE

5/8/80

U.S. GEOLOGICAL SURVEY

ROSWELL, NEW MEXICO

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formation and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

MAY 27 1980

37. SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION

TOP

DESCRIPTION, CONTENTS, ETC.

BOTTOM

38. GEOLOGIC MARKERS

NAME

MEAS. DEPTH

TOP

TRUE VERT. DEPTH

Blinebry
Tubb

6036
6669

oil
oil

6350
6773

Not logged
Glorieta
Blinebry Mkn
Tubb
Drinkard

above 4840
5585
6036
6527
6810

UNITED STATES
DEPARTMENT OF THE INTERIOR
GEOLOGICAL SURVEY

SUBMIT IN DUPLICATE*

(See other in-
structions on
reverse side)Form approved.
Budget Bureau No. 42-R355.5.

WELL COMPLETION OR RECOMPLETION REPORT AND LOG *

1a. TYPE OF WELL:		OIL WELL ☒	GAS WELL ☐	DRY ☐	Other _____		
b. TYPE OF COMPLETION:		NEW WELL ☒	WORK OVER ☐	DEEP-EN ☐	PLUG BACK ☐	DIFF. RESVR. ☐	Other _____
2. NAME OF OPERATOR <u>CONOCO INC.</u>						7. UNIT AGREEMENT NAME <u>NMFU</u>	
3. ADDRESS OF OPERATOR <u>P.O. Box 460, HOBBS, N.M. 88240</u>						8. FARM OR LEASE NAME <u>WARREN UNIT</u>	
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements)* At surface <u>660'FNL & 660'FEL</u> At top prod. interval reported below <u>Same</u> At total depth <u>Same</u>						9. WELL NO. <u>68</u>	
14. PERMIT NO.						DATE ISSUED	
15. DATE SPUDDED <u>2-9-80</u>						16. DATE T.D. REACHED <u>2-29-80</u>	
17. DATE COMPL. (Ready to prod.) <u>4-16-80</u>						18. ELEVATIONS (DF, RKB, RT, GR, ETC.)* <u>3551' 6R</u>	
20. TOTAL DEPTH, MD & TVD <u>6850'</u>		21. PLUG, BACK T.D., MD & TVD <u>6798'</u>		22. IF MULTIPLE COMPL., HOW MANY* <u>dual</u>		23. INTERVALS DRILLED BY <u>ALL</u>	
24. PRODUCING INTERVAL(S), OF THIS COMPLETION—TOP, BOTTOM, NAME (MD AND TVD)* <u>6668'-6774' WARREN TUBB</u>						19. ELEV. CASINGHEAD	
26. TYPE ELECTRIC AND OTHER LOGS RUN <u>Caliper, Compensated density, CNL, GR, DCL</u>						27. WAS WELL CORED <u>No</u>	
28. CASING RECORD (Report all strings set in well)							
CASING SIZE		WEIGHT, LB./FT.		DEPTH SET (MD)		HOLE SIZE	
<u>9 5/8"</u>		<u>36#</u>		<u>1600'</u>		<u>12 1/4"</u>	
<u>7"</u>		<u>26#</u>		<u>6850'</u>		<u>8 3/4"</u>	
29. LINER RECORD							
SIZE		TOP (MD)		BOTTOM (MD)		SACKS CEMENT*	
30. TUBING RECORD							
SIZE		DEPTH SET (MD)		PACKER SET (MD)			
<u>2 3/8"</u>		<u>6779'</u>		<u>6440' K.B.</u>			
31. PERFORATION RECORD (Interval, size and number)							
<u>6669', 6671', 6691', 6700', 6706', 6712', 6732', 6737', 6744', 6746', 6753', 6760', 6762', 6768', 6773' w/ JSPF</u>							
32. ACID, SHOT, FRACTURE, CEMENT SQUEEZE, ETC.							
DEPTH INTERVAL (MD)				AMOUNT AND KIND OF MATERIAL USED			
<u>6669'-6773'</u>				<u>120 bbl. TFW; 476 bbl. gelled fluid; 552 bbl. 28% HCl-NE-FE</u>			
33.* PRODUCTION							
DATE FIRST PRODUCTION <u>4-17-80</u>		PRODUCTION METHOD (Flowing, gas lift, pumping—size and type of pump) <u>PUMPING</u>				WELL STATUS (Producing or shut-in) <u>Producing</u>	
DATE OF TEST <u>5-2-80</u>		HOURS TESTED <u>24</u>		CHOKE SIZE <u>-</u>		PROD'N. FOR TEST PERIOD <u>→</u>	
FLOW. TUBING PRESS. <u>60 psi</u>		CASING PRESSURE <u>60 psi</u>		CALCULATED 24-HOUR RATE <u>→</u>		OIL—BBL. <u>15</u>	
						GAS—MCF. <u>12</u>	
						WATER—BBL. <u>10</u>	
						OIL GRAVITY-API (CORR.) <u>36°</u>	
34. DISPOSITION OF GAS (Sold, used for fuel, vented, etc.) <u>Sold</u>						TEST WITNESSED BY <u>W.D. Cates</u>	
35. LIST OF ATTACHMENTS							
36. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records							
SIGNED <u>Wm A. Butterfield</u>		TITLE <u>Admin. Supervisor</u>				DATE <u>5/8/80</u>	

*(See Instructions and Spaces for Additional Data on Reverse Side)

INSTRUCTIONS

General: This form is designed for submitting a complete and correct well completion report and log on all types of lands and leases to either a Federal agency or a State agency, or both, pursuant to applicable Federal and/or State laws and regulations. Any necessary special instructions concerning the use of this form and the number of copies to be submitted, particularly with regard to local, area, or regional procedures and practices, either are shown below or will be issued by, or may be obtained from, the local Federal and/or State office. See instructions on items 22 and 24, and 33, below regarding separate reports for separate completions.

If not filed prior to the time this summary record is submitted, copies of all currently available logs (drillers, geologists, sample and core analysis, all types electric, etc.), formations and pressure tests, and directional surveys, should be attached hereto, to the extent required by applicable Federal and/or State laws and regulations. All attachments should be listed on this form, see item 35.

Item 4: If there are no applicable State requirements, locations on Federal or Indian land should be described in accordance with Federal requirements. Consult local State or Federal office for specific instructions.

Item 18: Indicate which elevation is used as reference (where not otherwise shown) for depth measurements given in other spaces on this form and in any attachments. **Items 22 and 24:** If this well is completed for separate production from more than one interval zone (multiple completion), so state in item 22, and in item 24 show the producing interval, or intervals, top(s), bottom(s) and name(s) (if any) for only the interval reported in item 33. Submit a separate report (page) on this form, adequately identified, for each additional interval to be separately produced, showing the additional data pertinent to such interval.

Item 29: "Sacks Cement": Attached supplemental records for this well should show the details of any multiple stage cementing and the location of the cementing tool.

Item 33: Submit a separate completion report on this form for each interval to be separately produced. (See instruction for items 22 and 24 above.)

RECEIVED

MAY 27 1980

SUMMARY OF POROUS ZONES:

SHOW ALL IMPORTANT ZONES OF POROSITY AND CONTENTS THEREOF; CORED INTERVALS; AND ALL DRILL-STEM TESTS, INCLUDING DEPTH INTERVAL TESTED, CUSHION USED, TIME TOOL OPEN, FLOWING AND SHUT-IN PRESSURES, AND RECOVERIES

FORMATION	TOP		BOTTOM		DESCRIPTION, CONTENTS, ETC.	GEOLOGIC MARKERS	
	TOP	6036 6669	6350 6773	oil oil		NAME	MEAS. DEPTH TRUE VERT. DEPTH
Blinebry Tubb						Not logged Glorieta Blinebry Mkt Tubb Drinkard	Above 4840. 5585 6036 6527 6810