

NO. OF COPIES RECEIVED		
DISTRIBUTION		
SANTA FE		
FILE		
U.S.G.S.		
LAND OFFICE		
OPERATOR		

# NEW MEXICO OIL CONSERVATION COMMISSION

Form C-103  
Supersedes Old  
C-102 and C-103  
Effective 1-1-65

5a. Indicate Type of Lease
State <input checked="" type="checkbox"/> Fee <input type="checkbox"/>
5. State Oil & Gas Lease No.

## SUNDRY NOTICES AND REPORTS ON WELLS

(DO NOT USE THIS FORM FOR PROPOSALS TO DRILL ON TO DEEPEN OR PLUG BACK TO A DIFFERENT RESERVOIR. SEE APPLICATION FOR PERMIT TO DRILL (FORM C-101) FOR SUCH PROPOSALS.)

1. OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/>	7. Unit Agreement Name
2. Name of Operator	8. Farm or Lease Name
Amoco Production Company	State GC
3. Address of Operator	9. Well No.
P. O. Box 68, Hobbs, NM 88240	1
4. Location of Well	10. Field and Pool, or Wildcat
UNIT LETTER 0, 660 FEET FROM THE South LINE AND 1980 FEET FROM	Wildcat Morrow
THE East LINE, SECTION 7 TOWNSHIP 22-S RANGE 35-E N.M.P.M.	
15. Elevation (Show whether DF, RT, GR, etc.)	12. County
3603.0 GL	Lea

Check Appropriate Box To Indicate Nature of Notice, Report or Other Data  
NOTICE OF INTENTION TO:

PERFORM REMEDIAL WORK <input type="checkbox"/>	PLUG AND ABANDON <input type="checkbox"/>
TEMPORARILY ABANDON <input type="checkbox"/>	CHANGE PLANS <input type="checkbox"/>
PULL OR ALTER CASING <input type="checkbox"/>	OTHER <input type="checkbox"/>

SUBSEQUENT REPORT OF:	
REMEDIAL WORK <input type="checkbox"/>	ALTERING CASING <input type="checkbox"/>
COMMENCE DRILLING OPNS. <input checked="" type="checkbox"/>	PLUG AND ABANDONMENT <input type="checkbox"/>
CASING TEST AND CEMENT JOB <input checked="" type="checkbox"/>	OTHER <input type="checkbox"/>

17. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work) SEE RULE 1103.

On 12-29-79 MGF Drilling Co. (Rig #22) spudded a 20" hole at 12:00 noon 12-29-79. Drilled to a TD of 416' and ran 16" casing set at 416'. Cemented with 450 sx Class C cement with 2% KCL. Plugged down 11:00 P.M. 12-29-79. Circulated 50 sx. WOC 18 hrs. Tested casing with 1000# for 30 min. Test OK. Reduced hole to 14-3/4" and resumed drilling.

I hereby certify that the information above is true and complete to the best of my knowledge and belief.

SIGNED Bob Davis TITLE Assistant Admin. Analyst DATE 1-18-80

Orig. Signed by  
Jerry Sexton  
Dist. 1a Supv.

APPROVED BY \_\_\_\_\_ TITLE \_\_\_\_\_ DATE \_\_\_\_\_

JAN 23 1980

CONDITIONS OF APPROVAL, IF ANY:

0+4 NMOC-D-H, 1-Hou, 1-Susp, 1-BD